

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 23

25 02 2011

ISSN 1015-8243

List of the Species of the *Lepidoptera* of Van Province (East Turkey)

Ahmet Ö Koçak¹ Muhabbet Kemal²
Lokman Kayci³

Abstract: List of the Species of the *Lepidoptera* of Van Province (East Turkey). Cent. Ent. Stud., *Priamus* Suppl. 23: 1-43, 9 figs.

This article deals with the *Lepidoptera* fauna of Van Province (East Turkey). Totally, 1153 species of the 43 families are listed alphabetically. Synonymous names are arranged chronologically and added to each species. The families recorded in the province are given below alphabetically: *Adelidae*, *Alucitidae*, *Arctiidae*, *Argynniidae*, *Autostichidae*, *Brachodidae*, *Brahmaeidae*, *Choreutidae*, *Cimeliidae*, *Coleophoridae*, *Douglasiidae*, *Elachistidae*, *Ethmiidae*, *Gelechiidae*, *Geometridae*, *Hepialidae*, *Hesperiidae*, *Lasiocampidae*, *Lecithoceridae*, *Libytheidae*, *Lycaenidae*, *Lymantriidae*, *Noctuidae*, *Notodontidae*, *Oecophoridae*, *Papilionidae*, *Pieridae*, *Psychidae*, *Pyralidae*, *Saturniidae*, *Satyridae*, *Scythridae*, *Sesiidae*, *Sphingidae*, *Thyatiridae*, *Tineidae*, *Tortricidae*, *Yponomeutidae*, and *Zygaenidae*.

Key words: *Lepidoptera*, fauna, checklist, Van, Turkey.

¹<http://zoobank.org/?lsid=urn:lsid:zoobank.org:author:4755104C-24B4-4E00-8831-5F5E08B9E831>


<http://www.researcherid.com/rid/C-3731-2009> e-mail cesa_tr@yahoo.com.tr

²<http://zoobank.org/?id=urn:lsid:zoobank.org:author:671DD110-BDF1-49C8-964D-2A9251BE7824>


<http://www.researcherid.com/rid/C-3734-2009> e-mail muhabbet_kemal@yahoo.com.tr

³ Siirt University, Faculty of Science, Department of Biology, Siirt, Turkey.- e-mail: lokmanKayci@myynet.com

Within the frame of the Project “Entomofauna of Turkey”, the Lepidoptera fauna of the easternmost province of Turkey, Van, has been studying by the authors for several years. The present number of the lepidopteran species in the province reaches to 1153. The estimated number of the species is over 2000. Separately, the specific numbers of 12 pyterygot orders known in this province have been reported by the authors as “522”.⁴ Later, this number increased to “588”.⁵ According to the current knowledge of the Info-system of the Cesa,⁶ total number of the pterygots of Van Province (except Lepidoptera) is 671.⁷ So, the known species of the pterygota of Van province is 1824!



Among the lepidopteran species, butterflies are represented by 222 species (19.25% of total known species). Moths are usually nocturnal and the richest 3 families are as follows: *Noctuidae* (478 spp., 41.45%), *Pyralidae* (152 spp., 13.18%), *Geometridae* (113 spp., 9.80%). This information indicates that the fauna is still poorly known. Unfortunately, the most effective reason on this matter is the increasing and expanding unsafe conditions of the remote areas of the province, due to the terrorist activities. Nocturnal fauna couldnot be investigated as desired.



The present information of the *Lepidoptera* fauna of Van is based upon the info-system of the Cesa and represented as a specific list of the scientific names with the chronologically arranged synonymous names. Unavailable names are marked with “#”. Butterflies and moths are listed separately. Illustrations belong to the second authors produced from various places of the province during the field studies. Totally 265 selected publications are listed as author index in the “Bibliography” chapter.

⁴ Koçak & Kemal, 2010, Priamus 12 (5): 130 [Jan.,25 2010]. <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamus125>

⁵ Koçak & Kemal, 2010, Priamus Suppl. 18: 1690-1698 [stand 20 Apr. 2010] <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement18>

⁶ <http://www.cesa-tr.org/Infos.htm>

⁷ Access: 23 Febr.2011.

Butterflies

1. **Archon apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907
2. **Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926.
3. **Papilio (s.str. (Alexanoria)) alexanor Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
4. **Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
5. **Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
6. **Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
7. **Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
8. **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911
9. **Anthocharis damone Boisduval,1836** (Pieridae) Synonym(s): *damone* Boisduval,1836
10. **Anthocharis gruneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
11. **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
12. **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
13. **Colias (Eriocolias) thisoa Ménétriés,1832** (Pieridae) Synonym(s): *thisoa* Ménétriés,1832; *helenae* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989.
14. **Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer,[1850]
15. **Colias (Neocolias) chlorocoma Christoph,1888** (Pieridae) Synonym(s): *chlorocoma* Christoph,1888
16. **Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
17. **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
18. **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) Synonym(s): *farinosa* Zeller,1847
19. **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
20. **Leptidea duponcheli (Staudinger,1871)** (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
21. **Leptidea sinapis (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyrus* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
22. **Pieris (Artogeia) bowdeni Eitschberger,[1984]** (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984]
23. **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
24. **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) Synonym(s): *krueperi* Staudinger,1860
25. **Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
26. **Pieris (Artogeia) persis Verity,1922** (Pieridae) Synonym(s): *persis* Verity,1922; *higginsii* Bowden,1961.
27. **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) Synonym(s): *pseudorapae* Verity,1908
28. **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
29. **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
30. **Pontia callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803].
31. **Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *rossiae* Esper,[1784] nec *rossiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
32. **Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochseneheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
33. **Zegris eupheme (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erithoe* Eversmann,1832; *tshudica* Herrich-Schäffer,[1851].
34. **Aglais urticae (Linnaeus,1758)** (Argynnididae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.
35. **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.

36. **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec *Fabricius*,1775; *cynara* *Fabricius*,1777; *cyrnea* *Schwerda*,1926; *transcaucasica* *Moucha*,1967; *deserticola* *Gross & Ebert*,1975.
37. **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnididae) Synonym(s): *aglaja* *Linnaeus*,1758; *charlotta* *Haworth*,1802; *emilia* *Acerbi*,1802 nec *Cr.*,1779; *caroletta* *Jermyn*,1827; *locuples* *Verity*,1919 nec *Butler*,1879; *emilocuples* *Verity*,1919; *locupletata* *Verity*,1922; *montesignum* *Sagarra*,1926.
38. **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia* *Linnaeus*,1758; *valesina* *Esper*,[1798]; *magnata* *Verity*,1919; *revelata* *Verity*,1934; *magnifica* *Verity*,1919; *magnificamagnata* *Verity*,1950.
39. **Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* *Fruhstorfer*,1917; *florida* *Verity*,1919; *stricta* *Verity*,1933.
40. **Brenthis mofidii Wyatt,1968** (Argynnididae) Synonym(s): *mofidii* *Wyatt*,1968
41. **Vanessa (Cynthia) cardui (Linnaeus,1758)** (Argynnididae) Synonym(s): *cardui* *Linnaeus*,1758; *carduelis* *Cramer*,1775; *elymi* *Rambur*,1829; *kershawi* *McCoy*,1868; *pallida* *Schoyen*,1881; *universa* *Verity*,1919; *takesakiana* *Kato*,1925.
42. **Euapatura mirza Ebert,1971** (Argynnididae) Synonym(s): *mirza* *Ebert*,1971; *iwasei* *Igarashi*,1971.
43. **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnididae) Synonym(s): *aurinia* *Rottemburg*,1775; *artemis* [Denis & Schiffermüller],1775; *lye* *Bergsträßer*,[1779]; *koloswarensis* *Piller & Mitterpacher*,1783; *scotica* *Robson*,1880; *signifera* *Kane*,1893; *anglicana* *Fruhstorfer*,1917; *acedia* *Fruhstorfer*,1917.
44. **Issoria lathonia (Linnaeus,1758)** (Argynnididae) Synonym(s): *lathonia* *Linnaeus*,1758; *saturata* *Röber*,1897; *hungarica* *Aigner-Abafi*,1906; *florens* *Verity*,1916; *emiflorens* *Verity*,1919; *attenuata* *Sagarra*,1926; *nigroprivata* *Verity*,1933.
45. **Limenitis (Azuritis) reducta Staudinger,1901** (Argynnididae) Synonym(s): *reducta* *Staudinger*,1901.
46. **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnididae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* *Goeze*,1779; *paedotropos* *Bergsträßer*,[1780]; *tremulae* *Piller & Mitterpacher*,1783.
47. **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnididae) Synonym(s): *punica* *Oberthür*,1876
48. **Melitaea (Cinclidia) collina Lederer,1861** (Argynnididae) Synonym(s): *collina* *Lederer*,1861
49. **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) Synonym(s): *didyma* *Esper*,[1779]; *armoricana* *Oberthür*,1909.
50. **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnididae) Synonym(s): *#trivia* *Denis & Schiffermüller*,1775; *iphigenia* *Esper*,1782 (*praeoc.*); *#fascelis* *Esper*,1783; *fascelis* *Fabricius*,1787; *cleo* *Latreille*,1803
51. **Melitaea (Didymaeformis) perseia Kollar,[1849]** (Argynnididae) Synonym(s): *perseia* *Kollar*,[1849]; *caucasica* *Staudinger*,1861; *magnacasta* *Verity*,1929; *araratia* *Verity*,1929; *sargon* *Hemming*,1932; *tauricus* *Belter*,1934; *caucasicola* *Bryk*,1940; *hafiz* *Higgins*,1941; *gina* *Higgins*,1941; *darius* *Gross & Ebert*,1975; *pfeifferi* *Gross & Ebert*,1975 (*praeocc.*); *wernickei* *Gross & Ebert*,1975; *elbursicola* *Gross & Ebert*,1975; *safawides* *Gross & Ebert*,1975.
52. **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnididae) Synonym(s): *arduinna* *Fabricius*,1787; *rhodopensis* *Freyer*,[1836]; *uralensis* *Eversmann*,1844.
53. **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) Synonym(s): *cinxia* *Linnaeus*,1758; *abacus* *Retzius*,1783; *fulla* *Quensel*,1791.
54. **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) Synonym(s): *polychloros* *Linnaeus*,1758; *testudo* *Esper*,1781; *pyrrhomelaena* *Hübner*,1824; *pyromelas* *Freyer*,1834; *fervida* *Standfuss*,1896.
55. **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-album* *Linnaeus*,1758; *g-album* *Fourcroy*,1785.
56. **Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) Synonym(s): *egea* *Cramer*,[1775] (*junior homonym*); *vaualbum* *Esper*,1780; *l-album* *Esper*,1789; *triangulum* *Fabricius*,1793; *autumnalis* *Stefanelli*,1873; *#balucha* *Evans*,1932; *#pallida* *Evans*,1932.
57. **Thaleropis ionia (Eversmann,1851)** (Argynnididae) Synonym(s): *ionia* *Eversmann*,1851; *ammonia* *Herrich-Schäffer*,1851.
58. **Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynnididae) Synonym(s): *atalanta* *Linnaeus*,1758; *amiralis* *Retzius*,1783; *#klemensiewiczii* *Schille*,1896; *#klimene* *Fischer*,1896; *italica* *Stichel*,1900.
59. **Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* *Laicharting*,1782
60. **Arethusana arethusa ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller],1775; *erythia* *Hübner*,1805; *pontica* *Heyne*,[1895]; *sultana* *Wagner*,1929; *hakkarica* *Koçak*,1975 (*sensu* *Hesselbarth et al.*,1995: 917).
61. **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* *Hoffmannsegg*,1804; *persephone* *Hübner*,1805; *anthe* *Ochsenheimer*,1807.
62. **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *bischoffi* *Herrich-Schäffer*,[1846]
63. **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* *Linnaeus*,1764; *daedale* *Bergsträßer*,1780; *bataia* *Fruhstorfer*,1909; *interjecta* *Verity*,1916; *variabilis* *Varin*,1958; *pictonica* *Varin*,1958.
64. **Chazara (s.str.) egina (Staudinger,[1892])** (Satyridae) Synonym(s): *egina* *Staudinger*,[1892]; *aisha* *Rose*,1986.
65. **Coenonympha (s.str.) glycerion (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 nec *Dru.*,1773; *amyntas* *auctorum*; *glycerion* *Borkhausen*,1788; *hero* *Fabricius*,1793 nec *Linnaeus*,1761; *manto* *Schrank*,1801; *mandane* *Kirby*,1862; *tiphonides* *Staudinger*,1901.
66. **Coenonympha (s.str.) leander (Fabricius,1787)** (Satyridae) Synonym(s): *#leander* *Esper*,[1784]; *leander* *Fabricius*,1787 [see below]
67. **Coenonympha (s.str.) pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* *Linnaeus*,1758; *menalcas* *Poda*,1761; *nephele* *Hufnagel*,1766; *marginata* *Heyne*,1894; *orantia* *Fruhstorfer*,1908; *scota* *Verity*,1911; *infrarasa* *Verity*,1926; *juldusica* *Verity*,1926; *asiaemontium* *Verity*,1926; *euxina* *Verity*,1926; *posteuxina* *Verity*,1926; *londonii* *Verity*,1926; *neolyllus* *De Lattin*,1950
68. **Coenonympha (s.str.) saadi (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* *Kollar*,[1849]; *iphias* *Eversmann*,1851.

69. **Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].
70. **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kossuigi* De Lattin,1950.
71. **Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) Synonym(s): *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.
72. **Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc.
73. **Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
74. **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
75. **Hyponephele (s.str. (Ereminephele)) naricoides Gross,1977** (Satyridae) Synonym(s): *naricoides* Gross,1977
76. **Hyponephele (s.str. (Iranonephele)) kocaki Eckweiler,1978** (Satyridae) Synonym(s): *kocaki* Eckweiler,1978
77. **Hyponephele (s.str. (Tengrinephele)) cadusia (Lederer,1869)** (Satyridae) Synonym(s): *cadusia* Lederer,1869
78. **Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *wagneri* Herrich-Schäffer,[1846]; *schmidt* Bang-Haas,1927.
79. **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836]
80. **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
81. **Hyponephele (s.str.) lycaonoides Weiss,1978** (Satyridae) Synonym(s): *lycaonoides* Weiss,1978
82. **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) Synonym(s): *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000
83. **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
84. **Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
85. **Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
86. **Lasiommata menava Moore,1865** (Satyridae) Synonym(s): *menava* Moore,1865.
87. **Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *manioides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marengrans* Verity,1938; *pelekasii* Kattulas & Koutsaftikis,1978.
88. **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
89. **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005
90. **Melanargia (Turcargia) hylata (Ménétriés,1832)** (Satyridae) Synonym(s): *hylata* Ménétriés,1832
91. **Melanargia (Turcargia) syriaca (Oberthür,1894)** (Satyridae) Synonym(s): *syriaca* Oberthür,1894
92. **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
93. **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) Synonym(s): *beroe* Freyer,[1843]
94. **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonicus* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
95. **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895
96. **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
97. **Satyrus (Asatyrus (s.str.)) iranica Schwingenschuss,1939** (Satyridae) Synonym(s): *iranica* Schwingenschuss,1939; *kyros* Gross & Ebert,1975.
98. **Satyrus (s.str.) favonius Staudinger,[1892]** (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
99. **Satyrus (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla* sensu Wiltshire,1957
100. **Callophrys mystaphia Miller,1913** (Lycaenidae) Synonym(s): *mystaphia* Miller,1913
101. **Callophrys paulae Pfeiffer,1932** (Lycaenidae) Synonym(s): *paulae* Pfeiffer,1932



102. **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
103. **Callophrys suaveola (Staudinger,1881)** (Lycaenidae) Synonym(s): *suaveola* Staudinger,1881
104. **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
105. **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
106. **Cigaritis acamas (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
107. **Cigaritis uighurica Kemal & Koçak,2005** (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 nec Elw.,1892; *uighurica* Kemal & Koçak,2005
108. **Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.
109. **Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Dupnchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
110. **Cupido (s.str.) staudingeri (Christoph,1873)** (Lycaenidae) Synonym(s): *staudingeri* Christoph,1873
111. **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.
112. **Glaucopsyche (Iolana) lessei Bernardi,1964** (Lycaenidae) Synonym(s): *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977
113. **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
114. **Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
115. **Lycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787.
116. **Lycaena (Heodes) virgaureae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928.
117. **Lycaena (Loweia) tityrus (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acrion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
118. **Lycaena (Margelycaena) euphratica (Eckweiler,1989)** (Lycaenidae) Synonym(s): *euphratica* Eckweiler,1989
119. **Lycaena (Palaeochrysophanus) candens (Herrich-Schäffer,[1845])** (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
120. **Lycaena (Thersamonia) asabinus (Gerhard,[1850])** (Lycaenidae) Synonym(s): *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852]. [\[see below\]](#)
121. **Lycaena (Thersamonia) kefersteinii (Gerhard,[1850])** (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
122. **Lycaena (Thersamonia) kurdistanicus (Riley,1921)** (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921
123. **Lycaena (Thersamonia) lampon (Lederer,1870)** (Lycaenidae) Synonym(s): *lampon* Lederer,1870
124. **Lycaena (Thersamonia) thetis (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834.
125. **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
126. **Phengaris arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelriae* Lempke,1956
127. **Phengaris rebeli (Hirschke,1904)** (Lycaenidae) Synonym(s): *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949.
128. **Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
129. **Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
130. **Plebejus (Plebejides) nichollae (Elwes,1901)** (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
131. **Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycaenidae) Synonym(s): *zephyrinus* Christoph,1884



132. **Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) **Synonym(s):** *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchrarphionome* Verity,1931.
133. **Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) **Synonym(s):** *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
134. **Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) **Synonym(s):** *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934. [\[see below left\]](#)



135. **Polyommatus (Albulina (Plebejidea)) rosei (Eckweiler,1989)** (Lycaenidae) **Synonym(s):** *rosei* Eckweiler,1989 [\[see below right\]](#)
136. **Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) **Synonym(s):** *alcedo* Christoph,1877
137. **Polyommatus (Albulina (Vacciniina)) morgianus (Kirby,1871)** (Lycaenidae) **Synonym(s):** *hyrcana* Lederer,1869 *nec* Feld.,1860; *morgiana* Kirby,1871.
138. **Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) **Synonym(s):** *chiron* Rottentburg,1775 *nec* Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 *nec* Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.

139. **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) **Synonym(s):** *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.

140. **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) **Synonym(s):** *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottentburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].

141. **Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *artaxerxes* Fabricius,1793.

142. **Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae) **Synonym(s):** *pseudactis* Forster,1960; *vaspurakani* Lukhtanov & Dantchenko,2003

143. **Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002)** (Lycaenidae) **Synonym(s):** *haigi* Dantchenko & Lukhtanov,2002

144. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) **Synonym(s):** *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.



145. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae) **Synonym(s):** *dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003

146. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) **Synonym(s):** *demavendi* Pfeiffer,1938; *#demavendi* de Lesse,1960

147. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) **Synonym(s):** *eriwanensis* Forster,1960

148. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) **Synonym(s):** *ripartii* Freyer,[1830].

149. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) **Synonym(s):** *antidolus* Rebel,1901

150. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961)** (Lycaenidae) **Synonym(s):** *kurdistanicus* Forster,1961

151. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) **Synonym(s):** *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900.

152. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) **Synonym(s):** *mithridates* Staudinger,1878

153. **Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851])** (Lycaenidae) **Synonym(s):** *#hopfferi* Herrich-Schäffer,[August,1851] (uninominal); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961.

154. **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) **Synonym(s):** *wagneri* Forster,1956

155. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae)
Synonym(s): *baytopi* De Lesse,1959
156. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal,2001**
(Lycaenidae) Synonym(s): *igisizilim* Koçak & Kemal,2001
157. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])**
(Lycaenidae) Synonym(s): *iphigenia* Herrich-Schäffer,[1847]
158. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae)
Synonym(s): *vanensis* De Lesse,1957
159. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) anticarmon (Koçak,1983)**
(Lycaenidae) Synonym(s): *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994
160. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) zapvadi (Carbonell,1993)**
(Lycaenidae) Synonym(s): *zapvadi* Carbonell,1993
161. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) huberti (Carbonell,1993)**
(Lycaenidae) Synonym(s): *huberti* Carbonell,1993
162. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) ninae (Forster,1956)** (Lycaenidae)
Synonym(s): *ninae* Forster,1956
163. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) pierceae (Lukhtanov & Dantchenko,2002)** (Lycaenidae) Synonym(s): *pierceae* Lukhtanov & Dantchenko,2002; *#pierceae* Lukhtanov & Dantchenko,2002
164. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *surakovi* Dantchenko & Lukhtanov,1994; *sekercioglu* Dantchenko & Lukhtanov,2002
165. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicola⁸ (Koçak,1977)** (Lycaenidae)
Synonym(s): *turcicola* Koçak,1977; *#turcicolus* Kandul et al.,2004 [\[see below\]](#)
166. **Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) turcicus (Koçak,1977)** (Lycaenidae)
Synonym(s): *turcicus* Koçak,1977
167. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae)
Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
168. **Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli (Dantchenko & Lukhtanov,2002)**
(Lycaenidae) Synonym(s): *kanduli* Dantchenko & Lukhtanov,2002
169. **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae)
Synonym(s): *bellis* Freyer,[1842]
170. **Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer,1861)⁹** (Lycaenidae)
Synonym(s): *antiochena* Lederer,1861
171. **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae)
Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
172. **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae)
Synonym(s): *corydonius* Herrich-Schäffer,[1852]
173. **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae)
Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
174. **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae)
Synonym(s): *coelestinus* Eversmann,1843
175. **Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae)
Synonym(s): *fatima* Eckweiler & Schurian,1980
176. **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
177. **Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) Synonym(s): *aedon* Christoph,1877
178. **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
179. **Polyommatus (s.str.) buzulmavi Carbonell,1991** (Lycaenidae) Synonym(s): *buzulmavi* Carbonell,1991; *narlica* Carbonell,1991



⁸ Compound Latin nouns ending in *-cola* are masculine (ICZN, Art. 30.1.4.2). Therefore, the combination "*Polyommatus turcicola*" is nomenclaturally correct.

⁹ Specifically distinctness of *antiochenus* will be published separately.

180. **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
181. **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
182. **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
183. **Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann,1832 [see below]
184. **Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardti* Wiltshire,1943; *elta* Higgins,1964.
185. **Satyrium (Nordmannia) armenum (Rebel,1901)** (Lycaenidae) Synonym(s): *armenum* Rebel,1901
186. **Satyrium (Nordmannia) marcidum (Riley,1921)** (Lycaenidae) Synonym(s): *marcidum* Riley,1921
187. **Satyrium (Nordmannia) zabni Oorschot & Brink,1991** (Lycaenidae) Synonym(s): *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.
188. **Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
189. **Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
190. **Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) Synonym(s): *ledereri* Boisduval,1848
191. **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
192. **Tomares callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848
193. **Tomares desinens Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): *desinens* Nekrutenko & Effendi,1980
194. **Tomares romanovi (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi* Christoph,1882
195. **Turanana cytis (Christoph,1877)** (Lycaenidae) Synonym(s): *cytis* Christoph,1876
196. **Turanana endymion (Freyer,[1850])** (Lycaenidae) Synonym(s): *endymion* Freyer,[1850]
197. **Carcharodus (Lavatheria) lavatherae (Esper,[1783])** (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
198. **Carcharodus (Lavatheria) stauderi Reverdin,1913** (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
199. **Carcharodus (Reverdinus) flocciferus (Zeller,1847)** (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] nec Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
200. **Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
201. **Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
202. **Eogenes alcides Herrich-Schäffer,[1852]** (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852]
203. **Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].
204. **Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
205. **Hesperia comma (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
206. **Muschampia poggei (Lederer,1858)** (Hesperiidae) Synonym(s): *poggei* Lederer,1858
207. **Muschampia proteides (F.Wagner,1929)** (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001
208. **Muschampia tersa Evans,1949** (Hesperiidae) Synonym(s): *tersa* Evans,1949
209. **Ochlodes venatus (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]
210. **Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
211. **Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
212. **Pyrgus cirsii (Rambur,[1839])** (Hesperiidae) Synonym(s): *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950.



- 213. *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 214. *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 nec Skinn.,1906; *planorum* Verity,1925; *magnagallia* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 215. *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) Synonym(s): *sidae* Esper,[1784]
- 216. *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 217. *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 218. *Thymelicus acteon* (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsolata* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 219. *Thymelicus hyrax* (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 220. *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 221. *Thymelicus novus* (Reverdin,1916)** (Hesperiidae) Synonym(s): *novus* Reverdin,1916
- 222. *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thummas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905

Moths

- 223. *Nemophora eretna* Kemal & Koçak,2006** (Adelidae) Synonym(s): *eretna* Kemal & Koçak,2006
- 224. *Nemophora fasciella* (Fabricius,1775)** (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
- 225. *Alucita klimeschi* Scholz,1997** (Alucitidae) Synonym(s): *klimeschi* Scholz,1997
- 226. *Arctia* (Epicallia) *marchandi* De Freina,1983** (Arctiidae) Synonym(s): *marchandi* De Freina,1983.
- 227. *Arctia* (Eucharia) *festiva* (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 228. *Arctia* (s.str.) *caja* (Linnaeus,1758)** (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
- 229. *Chelis reticulata* (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887
- 230. *Cymbalophora rivularis* (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
- 231. *Diaphora mendica* (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791] [\[see below\]](#)
- 232. *Euplagia quadripunctaria* (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 nec Hol.,1897; *latefasciata* Bubacek,1915.
- 233. *Euplagia splendidior* (Tams,1922)** (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935.
- 234. *Lacydes spectabilis* (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 235. *Nebrarctia semiramis* (Staudinger,1892)** (Arctiidae) Synonym(s): *semiramis* Staudinger,1892
- 236. *Ocnogyna* (Somatotrichia) *anatolica* Witt,1980** (Arctiidae) Synonym(s): *anatolica* Witt,1980
- 237. *Ocnogyna* (s.str.) *loewii* (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
- 238. *Phragmatobia* *fuliginosa* (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
- 239. *Phragmatobia* *placida* (Frivaldsky,1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
- 240. *Rhyparia* *purpurata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
- 241. *Tyria jacobaeae* (Linnaeus,1758)** (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908.



242. **Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
243. **Hecestoptera kyra Gozmany,1961** (Autostichidae) Synonym(s): *kyra* Gozmany,1961
244. **Holcopogon bubulcellus (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
245. **Brachodes candefacta (Lederer,1858)** (Brachodidae) Synonym(s): *candefacta* Lederer,1858; *diacona* Lederer,1858
246. **Brahmaea (s.str.) christophi Staudinger,1879** (Brahmaeidae) Synonym(s): *christophi* Staudinger,1879
247. **Brahmaea (s.str.) ledereri Rogenhofer,1873** (Brahmaeidae) Synonym(s): *ledereri* Rogenhofer,1873
248. **Choreutis muhabbet Koçak,2008** (Choreutidae) Synonym(s): *muhabbet* Koçak,2008
249. **Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900
250. **Coleophora armeniae Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak,1991
251. **Coleophora bagorella (Falkovitsh,1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh,1977; *capusiella* Nemes,2003
252. **Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892
253. **Cossulus argentatus (Staudinger,1887)** (Cossidae) Synonym(s): *argentatus* Staudinger,1887; *araxes* De Freina,1982
254. **Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
255. **Dyspessacossus fereidun Groum-Grshimailo,1895** (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo,1895; *firdusi* Wagner,1937.
256. **Semagystia cuhensis De Freina,1994** (Cossidae) Synonym(s): *cuhensis* De Freina,1994
257. **Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
258. **Amata hakkariana (De Freina,1982)** (Ctenuchidae) Synonym(s): *hakkariana* De Freina,1982
259. **Dysauxes (s.str.) famula (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.
260. **Tinagma anchusellum (Benander,1936)** (Douglassiidae) Synonym(s): *anchusellum* Benander,1936
261. **Cilix asiatica A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
262. **Watsonalla binaria (Hufnagel,1767)** (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *fulcularia* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802]
263. **Elachista pollutella (Duponchel,1844)** (Elachistidae) Synonym(s): *pollutella* Duponchel,1844
264. **Epermenia (Calotripis) insecurella (Stainton,1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921.
265. **Ethmia amasina (Staudinger,1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger,1879
266. **Ethmia aurifluella (Hübner,[1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
267. **Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
268. **Ethmia chrysopyga (Zeller,1844)** (Ethmiidae) Synonym(s): *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
269. **Ethmia pseudoscythrella (Rebel,1902)** (Ethmiidae) Synonym(s): *pseudoscythrella* Rebel,1902
270. **Ethmia similis Sattler,1967** (Ethmiidae) Synonym(s): *similis* Sattler,1967
271. **Ethmia tripunctella (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879
272. **Dirhinosisia arnoldiella (Rebel,1905)** (Gelechiidae) Synonym(s): *arnoldiella* Rebel,1905
273. **Harpagidia magnetella (Staudinger,[1871])** (Gelechiidae) Synonym(s): *magnetella* Staudinger,[1871]; *pallidibasella* Ragonot,1895
274. **Isophrictis anthemidella (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871
275. **Stomopteryx detersella (Zeller,1847)** (Gelechiidae) Synonym(s): *detersella* Zeller,1847
276. **Alomphila hirsutaria (Fabricius,1781)** (Geometridae) Synonym(s): *#aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] nec Linn.,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794.
277. **Amorphogynia necessaria (Zeller,1849)** (Geometridae) Synonym(s): *necessaria* Zeller,1849
278. **Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
279. **Aplocera annexata (Freyer,[1830])** (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831
280. **Aplocera guneyi Riemis,1992** (Geometridae) Synonym(s): *guneyi* Riemis,1992
281. **Docirava mundulata (Guenée,[1858])** (Geometridae) Synonym(s): *mundulata* Guenée,[1858]; *submundulata* Staudinger,1892
282. **Aplocera obsitaria (Lederer,1853)** (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
283. **Aplocera opificata (Lederer,1870)** (Geometridae) Synonym(s): *opificata* Lederer,1870; *kawrigini* Christoph,1885.

284. **Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
285. **Apochima diaphanaria (Püngeler,1904)** (Geometridae) Synonym(s): *diaphanaria* Püngeler,1904
286. **Campaea margaritaria (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
287. **Campptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilineararia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
288. **Catarhoe permixtaria (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
289. **Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
290. **Catarhoe rubidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
291. **Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
292. **Chiasmia (Godonela) sp.n.** (Geometridae) Synonym(s):
293. **Chiasmia clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934.
294. **Chlorissa asphaleia Wiltshire,1966** (Geometridae) Synonym(s): *asphaleia* Wiltshire,1966; *#esphaleia* Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
295. **Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853
296. **Chloroclysta siterata (Hufnagel,1767)** (Geometridae) Synonym(s): *siterata* Hufnagel,1767; *psittacata* [Denis & Schiffermüller],1775; *rubroviridata* Donovan,1810; *psittacaria* Boisduval,1840
297. **Cidaria fulvata (Forster,1771)** (Geometridae) Synonym(s): *fulvata* Forster,1771; *cuspidata* Thunberg,1784
298. **Crocallis (s.str.) elinguararia (Linnaeus,1758)** (Geometridae) Synonym(s): *elinguararia* Linnaeus,1758; *trapezaria* Boisduval,1840
299. **Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrospararia* Scoble,1999; *privataria* Scoble,1999
300. **Dasycorsa modesta (Staudinger,1879)** (Geometridae) Synonym(s): *modesta* Staudinger,1879
301. **Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006
302. **Dyscia (s.str.) conspersaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840; *#conspersana* Pugaev & Zolotuhin,2006
303. **Dyscia (s.str.) lentiscaria (Donzel,1837)** (Geometridae) Synonym(s): *lentiscaria* Donzel,1837; *agacles* Oberthür,1923
304. **Eilicrinia cordiaria (Hübner,1790)** (Geometridae) Synonym(s): *cordiaria* Hübner,1790
305. **Eilicrinia subcordaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861.
306. **Enanthyperythra legataria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *legataria* Herrich-Schäffer,[1852]
307. **Euphyia scopulata (Brandt,1938)** (Geometridae) Synonym(s): *scopulata* Brandt,1938
308. **Eupithecia breviculata (Donzel,1837)** (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
309. **Eupithecia distinctaria Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954
310. **Eupithecia extremata (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
311. **Eupithecia gratiosata Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
312. **Eupithecia gueneata Millière,1862** (Geometridae) Synonym(s): *gueneata* Millière,1862; *busambraria* Ragusa,1889
313. **Eupithecia icterata (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
314. **Eupithecia oblongata (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1785; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
315. **Eupithecia silenicolata Mabilie,1867** (Geometridae) Synonym(s): *silenicolata* Mabilie,1867
316. **Eupithecia venosata (Fabricius,1787)** (Geometridae) Synonym(s): *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799; *comparanda* Vojnits,1981
317. **Eupithecia vulgata (Haworth,[1809])** (Geometridae) Synonym(s): *vulgata* Haworth,[1809]; *pygmaeata* Borkhausen,1794; *clusterata* Hübner,[1813]; *austeraria* Herrich-Schäffer,1848; *atropicta* Dietze,1910; *cyrneata* Schawerda,1933
318. **Gnopharmia objectaria Staudinger,1892** (Geometridae) Synonym(s): *objectaria* Staudinger,1892
319. **Gnopharmia rubraria Staudinger,1892** (Geometridae) Synonym(s): *rubraria* Staudinger,1892

320. **Gnophos (Dicrognophos) snelleni Christoph,1887** (Geometridae) Synonym(s): *snelleni Christoph,1887*
321. **Gnophos (Organognophos) wanensis Wehrli,1936** (Geometridae) Synonym(s): *wanensis Wehrli,1936*
322. **Heliomata glarearia (Brahm,1791)** (Geometridae) Synonym(s): *#glarearia [Denis & Schiffermüller],1775; glarearia Brahm,1791.*
323. **Holoterpna pruinosa (Staudinger,1898)** (Geometridae) Synonym(s): *pruinosa Staudinger,1898*
324. **Hyposcotis (?) mutilata (Staudinger,1879)** (Geometridae) Synonym(s): *mutilata Staudinger,1879*
325. **Hyposcotis (Euchrognophos) nannodes (Wehrli,1936)** (Geometridae) Synonym(s): *nannodes Wehrli,1936*
326. **Hyposcotis (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) Synonym(s): *variegatus Duponchel,1830; #subtaurica Wehrli,1932.*
327. **Hyposcotis (Kentrognophos) zeitunaria (Staudinger,1901)** (Geometridae) Synonym(s): *zeitunaria Staudinger,1901*
328. **Idaea aversata (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata Linnaeus,1758; remutata Linnaeus,1758; lividata Clerck,1759; trilineata Hufnagel,1767; grisata Fabricius,[1776]; murinata Fabricius,1794; aversaria Hübner,[1799]; fuliginata Haworth,1809; latifasciaria Heydenreich,1851.*
329. **Idaea degeneraria (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria Hübner,[1799]; degenerata Treitschke,1828; floridaria Turati,1913*
330. **Idaea filicata (Hübner,[1799])** (Geometridae) Synonym(s): *filicata Hübner,[1799]; filicaria Duponchel,1830; levequei Leraut,2003*
331. **Idaea humiliata (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata Hufnagel,1767; osseata [Denis & Schiffermüller],1775; ossearia Hübner,[1799]*
332. **Idaea ochrata (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata Scopoli,1763; #ochreate [Denis & Schiffermüller],1775; corrigata Fabricius,1781; ochrearia Schrank,1802 nec Ross.,1794; sicula Zeller,1847; accretata Fuchs,1901*
333. **Idaea rufaria (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria Hübner,[1799]; ochridana Silbernagel,1944*
334. **Idaea trigeminata (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata Haworth,[1809]; reversata Treitschke,1828; reversaria Duponchel,1830.*
335. **Larerannis marginaria (Fabricius,1777)** (Geometridae) Synonym(s): *marginaria Fabricius,1777; testacea Retzius,1783; testacearia Villers,1789; progemmata Hübner,[1799]; capreolaria Esper,1801 nec [Den. & Schiff.],1775; luctuaria Haworth,1809; connectaria Haworth,1809; stictaria Haworth,1809*
336. **Lithostege farinata (Hufnagel,1767)** (Geometridae) Synonym(s): *farinata Hufnagel,1767; illibata [Denis & Schiffermüller],1775; nivearia Hübner,[1799]; albaria Turton,1802; bachmutensis L.B.Prout,1938*
337. **Lomaspilis opis (Butler,1878)** (Geometridae) Synonym(s): *opis Butler,1878*
338. **Lythria cruentaria (Hufnagel,1767)** (Geometridae) Synonym(s): *purpurata Linnaeus,1761 nec Linn.,1758; cruentaria Hufnagel,1767; rotaria Fabricius,1798; sordidaria Zetterstedt,1839.*
339. **Neognopharmia stevenaria (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria Boisduval,1840; lapidisaria Freyer,1841*
340. **Nychiodes (Eunychiodes) variabila Brandt,1938** (Geometridae) Synonym(s): *variabila Brandt,1938; #variabilis auct.*
341. **Nychiodes (Fritzwagneria) rayatica Wiltshire,1957** (Geometridae) Synonym(s): *rayatica Wiltshire,1957*
342. **Nychiodes (s.str.) obscuraria (Villers,1789)** (Geometridae) Synonym(s): *obscuraria Villers,1789; obscurata Borkhausen,1794; lividaria Hübner,[1799]*
343. **Odezia atrata (Linnaeus,1758)** (Geometridae) Synonym(s): *atrata Linnaeus,1758; chaerophyllata Linnaeus,1767; chaerophyllaria Boisduval,1840; pyrenaica Gumpfenberg,1887; meridionalis Reisser,1935*
344. **Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) Synonym(s): *luteolata Linnaeus,1758; crataegata Linnaeus,1761; crataegaria Hübner,[1823]; #emaculata Graeser,1892; impunctata Osthelder,1931.*
345. **Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata Fabricius,1794; fluviata Hübner,[1799]; gemmata Hübner,1799; albicinctata Haworth,1809; angustata Haworth,1809; quaerendaria Costa,1850; baccata Guenée,[1858]; lapillata Guenée,[1858]; contraria Walker,1862; exagitata Walker,1862; intrusata Walker,1862; peracutata Walker,1862; signataria Walker,1863; abruptata Walker,1863; pigrata Walker,1866; plemyrata R.Felder & Rogenhofer,1875; inconspicua Warren,1896; brunneipennis Hulst,1896; discata Warren,1905*
346. **Orthostixis calcularia Lederer,1853** (Geometridae) Synonym(s): *calcularia Lederer,1853*
347. **Orthostixis cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria Hübner,[1799].*
348. **Oulobophora externata Freyer,1846** (Geometridae) Synonym(s): *#externata Herrich-Schäffer,1843; externata Freyer,1846; turcosyricea Wehrli,1934.*
349. **Ourapteryx malatyensis Wehrli,1936** (Geometridae) Synonym(s): *malatyensis Wehrli,1936*
350. **Pasiphila rectangulata (Linnaeus,1758)** (Geometridae) Synonym(s): *rectangulata Linnaeus,1758; viridulata Hufnagel,1767; cydoniata Borkhausen,1794; mediana Panzer,1804; nigrocericeata Haworth,1809; sericeata Haworth,1809; subaerata Hübner,[1817]; rectangularia Boisduval,1840*
351. **Pellonia vibicaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785; cruentaria Villers,1789.*
352. **Peribatodes rhomboidarius [Denis & Schiffermüller,1775]** (Geometridae) Synonym(s): *#rhomboidaria [Denis & Schiffermüller],1775; inaequalis Goeze,1781; gemmaria Brahm,1791; ichnusaria Ghiliani,1852; corsicaria Schawerda,1931; saerdabensis Wehrli,1943*
353. **Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916*

354. **Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,1858; *palaestinis* Fuchs,1903.
355. **Phaselia serrularia (Eversmann,1847)** (Geometridae) Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855.
356. **Philereme transversata (Hufnagel,1767)** (Geometridae) Synonym(s): *transversata* Hufnagel,1767; *rhamnata* [Denis & Schiffermüller],1775.
357. **Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
358. **Pseudopanthera syriacata (Guenée,1852)** (Geometridae) Synonym(s): *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958
359. **Pydna badiaria (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854.
360. **Pydna bahara (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938
361. **Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistl,1856; *labdaria* Guenée,1858;
362. **Rhodostrophia auctata (Staudinger,1879)** (Geometridae) Synonym(s): *auctata* Staudinger,1879
363. **Rhodostrophia cuprinaria (Christoph,1876)** (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907.
364. **Rhodostrophia discopunctata Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
365. **Rhodostrophia sieversi (Christoph,1882)** (Geometridae) Synonym(s): *sieversi* Christoph,1882
366. **Rhodostrophia ?sp.n.** (Geometridae)
367. **Scopula beckeraria (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
368. **Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806].
369. **Scopula immistaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
370. **Scopula incanata (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
371. **Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,1858; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
372. **Scopula ochraceata (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
373. **Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
374. **Scopula tessellaria (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
375. **Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
376. **Scotopteryx vicinaria (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
377. **Selenia lunularia (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831
378. **Siona lineata (Scopoli,1763)** (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799]
379. **Stegania dilectaria (Hübner,1790)** (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832]
380. **Synopsia sociaria (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926
381. **Tephрина sp.** (Geometridae)
382. **Tephрина hopfferaria (Staudinger,1879)** (Geometridae) Synonym(s): *hopfferaria* Staudinger,1879
383. **Tephрина murinaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855
384. **Thalera fimbrialis (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
385. **Thetidia persica Hausmann,1996** (Geometridae) Synonym(s): *persica* Hausmann,1996
386. **Thetidia smaragdaria (Fabricius,1787)** (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
387. **Triphosa dubitata (Linnaeus,1758)** (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
388. **Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
389. **Triodia amasina (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]
390. **Chondrostega pastranum Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858; *hyrcanum* Staudinger,1871

391. **Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
392. **Malacosoma alpicola Staudinger,1870 /primum Staudinger,1887** (Lasiocampidae) Synonym(s): *alpicola* Staudinger,1870
393. **Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943
394. **Malacosoma franconicum ([Denis & Schiffermüller],1775) /prima Staudinger,1887** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840
395. **Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803
396. **Phylodesma (s.str.) tremulifolium (Hübner,[1810])** (Lasiocampidae) Synonym(s): *betulifolium* Ochsenheimer,1810 nec Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999
397. **Odites (Gozmaniola) kollarella (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]
398. **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803
399. **Euproctis melania (Staudinger,1892)** (Lymantriidae) Synonym(s): *melania* Staudinger,1892; *melaniodes* Strand,1910; *#melaina* De Freina,1999.
400. **Leucoma salicis (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949
401. **Lymantria dispar (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabilie,1876; *bordigalensis* Mabilie,1876; *asiatica* Wnukowsky,1926
402. **Ocnerogya amanda Staudinger,[1892]** (Lymantriidae) Synonym(s): *amanda* Staudinger,[1892]
403. **Orgyia dubia (Tauscher,1806)** (Lymantriidae) Synonym(s): *dubia* Tauscher,1806
404. **Parocneria terebinthi (Freyer,[1838])** (Lymantriidae) Synonym(s): *terebinthi* Freyer,[1838]
405. **Parocneria terebynthina (Staudinger,[1895])** (Lymantriidae) Synonym(s): *terebynthina* Staudinger,[1895]; *insolita* Brandt,1938
406. **Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
407. **Abrostola clarissa (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa* Staudinger,1900
408. **Abrostola triplasia (Linnaeus,1758)** (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864.
409. **Acantholipes regularis (Hübner,[1813])** (Noctuidae) Synonym(s): *regularis* Hübner,[1813]
410. **Acontia lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889.
411. **Acontia titania (Esper,[1798])** (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
412. **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
413. **Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) Synonym(s): *pasiphae* Draudt,1936
414. **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758
415. **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowski* Wojtusiak & Niesiolowski,1946.
416. **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
417. **Aedophron phlebophora Lederer,1858** (Noctuidae) Synonym(s): *phlebophora* Lederer,1858
418. **Agrochola (Alpichola) egorovi (O.Bang-Haas,1934)** (Noctuidae) Synonym(s): *egorovi* O.Bang-Haas,1934
419. **Agrochola (Alpichola) lactiflora (Draudt,1934)** (Noctuidae) Synonym(s): *lactiflora* Draudt,1934
420. **Agrochola (Alpichola?) gratiosa (Staudinger,1882)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1881.
421. **Agrochola (Anchoscelis) schreieri Hacker & Weigert,1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986
422. **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
423. **Agrotis (Crassagrotis) obesa (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840
424. **Agrotis (s.str.) bifurca Staudinger,1881** (Noctuidae) Synonym(s): *bifurca* Staudinger,1881; *stabilita* Corti,1928.
425. **Agrotis (s.str.) desertorum Boisduval,1840** (Noctuidae) Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842
426. **Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
427. **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
428. **Agrotis (s.str.) sardzeana Brandt,1941** (Noctuidae) Synonym(s): *sardzeana* Brandt,1941

- 429. *Agrotis (s.str.) segetum* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 430. *Ammonoconia anonyma* Ronkay & Varga,1984** (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984
- 431. *Amphipoea oculea* (Linnaeus,1761)** (Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 432. *Amphipyra micans* Lederer,1857** (Noctuidae) Synonym(s): *micans* Lederer,1857
- 433. *Amphipyra stix* Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879.
- 434. *Amphipyra submicans* Kuznetsov,1958** (Noctuidae) Synonym(s): *submicans* Kuznetsov,1958
- 435. *Amphipyra tetra* (Fabricius,1787)** (Noctuidae) Synonym(s): *tetra* Fabricius,1787
- 436. *Amphipyra tragopoginis* (Clerck,1759)** (Noctuidae) Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766.
- 437. *Antitype chionodes* Boursin,1968** (Noctuidae) Synonym(s): *chionodes* Boursin,1968
- 438. *Antitype jonis* (Lederer,1865)** (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 439. *Apamea (s.str.) anceps* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775
- 440. *Apamea (s.str.) crenata* (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.
- 441. *Apamea (s.str.) epomidion* (Haworth,1809)** (Noctuidae) Synonym(s): *charactera* auct. nec [Denis & Schiff.,1775; *epomidion* Haworth,1809
- 442. *Apamea (s.str.) ferrago* (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837 [see below]
- 443. *Apamea (s.str.) furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
- 444. *Apamea (s.str.) lateritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 445. *Apamea (s.str.) leucodon* (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
- 446. *Apamea (s.str.) monoglypha* (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766.
- 447. *Apamea (s.str.) oblonga* (Haworth,[1809])** (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 448. *Apamea (s.str.) platinea* (Treitschke,1825)** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980.
- 449. *Apamea (s.str.) polyglypha* (Staudinger,1892)** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
- 450. *Apamea pyxina* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *pyxina* A.Bang-Haas,1910.
- 451. *Apamea (s.str.) remissa* (Hübner,[1809])** (Noctuidae) Synonym(s): *remissa* Hübner,[1809]
- 452. *Apamea (s.str.) sordens* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sordens* Hufnagel,1766
- 453. *Apamea (s.str.) syriaca* (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 454. *Arenostola unicolor* W.Warren,1914** (Noctuidae) Synonym(s): *unicolor* W.Warren,1914
- 455. *Argyrospila succinea* (Esper,[1798])** (Noctuidae) Synonym(s): *succinea* Esper,[1798]
- 456. *Atethmia centrigo* (Haworth,[1809])** (Noctuidae) Synonym(s): *centrigo* Haworth,[1809].
- 457. *Autographa gamma* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 458. *Autographa jota* (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaei* Ménétriés,1859; *anatolica* Schwingenschuss,1938
- 459. *Autophila (Cheirophanes) ligaminosa* (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 460. *Autophila (s.str.) asiatica* (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888



461. **Autophila (s.str.) banghaasi Boursin,1940** (Noctuidae) Synonym(s): *banghaasi Boursin,1940*
462. **Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida Hübner,[1808]; praeclara Schawerda,1918; argentea Caradja,1930; troniccki Reisser,1958.*
463. **Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica Staudinger,1901; osthelderi Boursin,1940; libanopsis Boursin,1962.*
464. **Basistriga flammata ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata [Denis & Schiffermüller],1775; bimaculata Milliere,1885.*
465. **Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri Frivaldsky,1835; lintea Freyer,1842; orontii Herrich-Schäffer,[1851]; senescens Eversmann,1856; #linthea Lederer,1870*
466. **Brandtina albonigra Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): *albonigra Bytinski-Salz & Brandt,1937; noacki Boursin,1967*
467. **Bryomima defreina Hacker,[1987]** (Noctuidae) Synonym(s): *defreina Hacker,[1987].*
468. **Bryomima hakkariensis De Freina & Hacker,1985** (Noctuidae) Synonym(s): *hakkariensis De Freina & Hacker,1985*
469. **Bryophilopsis roederi (Standfuss,1892)** (Noctuidae) Synonym(s): *roederi Standfuss,1892*
470. **Calamia staudingeri Warnecke,1941** (Noctuidae) Synonym(s): *staudingeri Warnecke,1941*
471. **Callistege mi (Clerck,1759)** (Noctuidae) Synonym(s): *#mi Clerck,1759; graminis Hufnagel,1766; albolineata Goeze,1781; litterata Cyrilli,1787 nec Sc.,1763*
472. **Calophasia lunula (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula Hufnagel,1766; linariae [Denis & Schiffermüller],1775.*
473. **Calophasia opalina (Esper,[1796])** (Noctuidae) Synonym(s): *casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stauder,1923.*
474. **Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula [Denis & Schiffermüller],1775*
475. **Caradrina (Boursinidrina) parvaspersa (Boursin,1936)** (Noctuidae) Synonym(s): *parvaspersa Boursin,1936*
476. **Caradrina (Boursinidrina) pseudadelpha (Boursin,1939)** (Noctuidae) Synonym(s): *pseudadelpha Boursin,1939*
477. **Caradrina (Boursinidrina) rjabovi (Boursin,1936)** (Noctuidae) Synonym(s): *rjabovi Boursin,1936; pseudovicina Boursin,1939*
478. **Caradrina (Boursinidrina) surchica (Boursin,1937)** (Noctuidae) Synonym(s): *surchica Boursin,1937*
479. **Caradrina (Eremodrina) doleropsis (Boursin,1939)** (Noctuidae) Synonym(s): *doleropsis Boursin,1939; doleropsis Boursin,1940.*
480. **Caradrina (Eremodrina) draudti (Boursin,1936)** (Noctuidae) Synonym(s): *draudti Boursin,1936; pseudopertinax Boursin,1939; pseudopertinax Boursin,1940*
481. **Caradrina (Eremodrina) gilva (Donzel,1837)** (Noctuidae) Synonym(s): *gilva Donzel,1837; molisana Dannehl,1929*
482. **Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbrata Staudinger,1900; inumbratella Pinker,1980*
483. **Caradrina (Eremodrina) salzi (Boursin,1936)** (Noctuidae) Synonym(s): *salzi Boursin,1936*
484. **Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina Staudinger,1870; perspicua W.Warren,1911*
485. **Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) Synonym(s): *boursini F.Wagner,1936*
486. **Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg,1791; milleri Schultz,1862; avicula Krulikovsky,1909; teidovolans Pinker,1974; pinkeri Kobes,1975*
487. **Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena Guenée,1852; minor Staudinger,1897; subdita W.Warren,1911; muricolor Boursin,1933; subdita Leraut,1980*
488. **Caradrina (Paradrina) fulvafusca Hacker,2004** (Noctuidae) Synonym(s): *fulvafusca Hacker,2004*
489. **Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) Synonym(s): *poecila Boursin,1939*
490. **Caradrina (Paradrina) wullschlegeli (Püngeler,1903)** (Noctuidae) Synonym(s): *wullschlegeli Püngeler,1903*
491. **Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae) Synonym(s): *albina Eversmann,1848; congesta Lederer,1853; tenera A.Bang-Haas,1912*
492. **Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa Rambur,1834; anceps Herrich-Schäffer,1849; culoti Turati,1913.*
493. **Caradrina (Platyperigea) montana (Bremer,1861)** (Noctuidae) Synonym(s): *montana Bremer,1861; apatetica Püngeler,1914; sachalinensis Matsumura,1925; melancholica Draudt,1934; kaolina Bryk,1949*
494. **Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) Synonym(s): *terrea Freyer,[1840]; ustirena Boisduval,1840*
495. **Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) Synonym(s): *morpheus Hufnagel,1766; pulla Beckwith,1794 nec Esp.,[1785]; sepii Hübner,[1803]; dresnaya D.Lucas,1933; alpina Hartig,[1938]*
496. **Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista [Denis & Schiffermüller],1775*
497. **Catocala (s.str.) abacta Staudinger,1900** (Noctuidae) Synonym(s): *abacta Staudinger,1900; irana Brandt,1938; #iranica Hacker,1986.*

498. **Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
499. **Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
500. **Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
501. **Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887
502. **Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913
503. **Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805]
504. **Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concupina* Hübner,[1803]
505. **Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
506. **Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] nec Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909
507. **Catocala (s.str.) wolffi Hacker,1999** (Noctuidae) Synonym(s): *wolffi* Hacker,1999
508. **Cerapteryx megalia (Alpheraky,1882)** (Noctuidae) Synonym(s): *megalia* Alpheraky,1882.
509. **Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
510. **Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowski* Koçak,1987
511. **Chersotis (s.str.) alpestris (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpestris* Boisduval,[1837]
512. **Chersotis (s.str.) anatolica (Draudt,1936)** (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945.
513. **Chersotis (s.str.) andereggii (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837]
514. **Chersotis (s.str.) capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.
515. **Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
516. **Chersotis (s.str.) firdussi Schwingenschuss,1937** (Noctuidae) Synonym(s): *firdussi* Schwingenschuss,1937
517. **Chersotis (s.str.) glebosa (Staudinger,1900)** (Noctuidae) Synonym(s): *glebosa* Staudinger,1900
518. **Chersotis (s.str.) gratissima (Corti,1932)** (Noctuidae) Synonym(s): *gratissima* Corti,1932
519. **Chersotis (s.str.) illauta (Draudt,1936)** (Noctuidae) Synonym(s): *illauta* Draudt,1936
520. **Chersotis (s.str.) juvenis (Staudinger,1901)** (Noctuidae) Synonym(s): *caelebs* Staudinger,1900 nec Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936.
521. **Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) Synonym(s): *laeta* Rebel,1904
522. **Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) Synonym(s): *larixia* Guenée,1852.
523. **Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
524. **Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906
525. **Chersotis (s.str.) stenographa Varga,1979** (Noctuidae) Synonym(s): *stenographa* Varga,1979
526. **Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
527. **Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
528. **Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
529. **Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
530. **Colobochyla (Caspicastra) platyzona (Lederer,1870)** (Noctuidae) Synonym(s): *platyzona* Lederer,1870; *#platizona* Hacker,1990.
531. **Conistra (s.str.) metria Boursin,1940** (Noctuidae) Synonym(s): *metria* Boursin,1940; *pseudopolitina* Hacker,1990.
532. **Conistra (s.str.) rubiginosa (Scopoli,1763)** (Noctuidae) Synonym(s): *rubiginosa* Scopoli,1763; *silene* [Denis & Schiffermüller],1775; *vaupunctatum* Esper,[1786].
533. **Conistra (s.str.) vaccinii (Linnaeus,1761)** (Noctuidae) Synonym(s): *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffermüller],1775; *spadicea* [Denis & Schiffermüller],1775
534. **Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
535. **Cosmia (Calymnia) trapezina (Linnaeus,1758)** (Noctuidae) Synonym(s): *trapezina* Linnaeus,1758
536. **Cosmia (s.str.) affinis (Linnaeus,1767)** (Noctuidae) Synonym(s): *affinis* Linnaeus,1767
537. **Cryphia (Bryoleuca) ereptricula (Treitschke,1825)** (Noctuidae) Synonym(s): *ereptricula* Treitschke,1825
538. **Cryphia (Bryoleuca) petrea (Guenée,1852)** (Noctuidae) Synonym(s): *petrea* Guenée,1852
539. **Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula*

- Hübner,[1803]; carbonis Freyer,1849; felina Eversmann,1852; #striata Staudinger,1879; #persica Strand,1915; cretica Reisser,1962
540. **Cryphia (Bryoleuca) seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct.
541. **Cryphia (Bryoleuca) thamanaea (Hampson,1908)** (Noctuidae) Synonym(s): *thamanaea* Hampson,1908
542. **Cryphia (Bryophila) eucharista Boursin,1960** (Noctuidae) Synonym(s): *iranica* Brandt,1941 nec Schwing.,1937; *eucharista* Boursin,1960.
543. **Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909.
544. **Cryphia (Bryophila) occidentalis (Osthelder,1933)** (Noctuidae) Synonym(s): *occidentalis* Osthelder,1933.
545. **Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931
546. **Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
547. **Cucullia (Shargacucullia) armena G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986
548. **Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933
549. **Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
550. **Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
551. **Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
552. **Cucullia (s.str.) argentina (Fabricius,1787)** (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *griseus* F.Wagner,1931 nec Lch.,1900; *anatoliensis* Koçak,1980.
553. **Cucullia (s.str.) behouneki Hacker & Ronkay,1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
554. **Cucullia (s.str.) dracunculi (Hübner,[1813])** (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903.
555. **Cucullia (s.str.) ronkayi Hacker & Pinker,1987** (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker,1987
556. **Cucullia (s.str.) umbratica (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
557. **Dasypolia (s.str.) altissima Hacker & Moberg,1988** (Noctuidae) Synonym(s): *altissima* Hacker & Moberg,1988
558. **Dasypolia (s.str.) templi (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
559. **Desertoplusia bella (Christoph,1887)** (Noctuidae) Synonym(s): *bella* Christoph,1887
560. **Desertoplusia colornata Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colornata* Hacker,1992
561. **Diachrysia chrysis (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
562. **Diarsia florida (Schmidt,1859)** (Noctuidae) Synonym(s): *florida* Schmidt,1859
563. **Diarsia rubi (Vieweg,1790)** (Noctuidae) Synonym(s): *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 nec Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858].
564. **Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
565. **Dichagyris (Yigoga) celsicola (Bellier,1858)** (Noctuidae) Synonym(s): *celsicola* Bellier,1858
566. **Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
567. **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
568. **Dichagyris (Yigoga) gracilis (F.Wagner,1929)** (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
569. **Dichagyris (Yigoga) latipennis (Püngeler,1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler,1909
570. **Dichagyris (Yigoga) nachadira (Brandt,1941)** (Noctuidae) Synonym(s): *nachadira* Brandt,1941
571. **Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Hofner,1888
572. **Dichagyris (Yigoga) orientis (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
573. **Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
574. **Dichagyris (Yigoga) sincera (De Freina & Hacker,1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.
575. **Dichagyris (Yigoga) truculenta (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
576. **Dichagyris (Yigoga) weigerti Hacker & Varga,1990** (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990

577. **Dichagyris (Yigoga) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002
578. **Dichagyris (s.str.) amoena (Staudinger,1892)** (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
579. **Dichagyris (s.str.) anastasia (Draudt,1936)** (Noctuidae) Synonym(s): *anastasia* Draudt,1936
580. **Dichagyris (s.str.) argentea (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929
581. **Dichagyris (s.str.) armeniaca Kozhantshikov,1929** (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929.
582. **Dichagyris (s.str.) devota (Christoph,1884)** (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892
583. **Dichagyris (s.str.) elbursica (Draudt,1937)** (Noctuidae) Synonym(s): *elbursica* Draudt,1937
584. **Dichagyris (s.str.) erubescens (Staudinger,1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
585. **Dichagyris (s.str.) forficula (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851
586. **Dichagyris (s.str.) fredii (Brandt,1938)** (Noctuidae) Synonym(s): *fredii* Brandt,1938
587. **Dichagyris (s.str.) leucomelas Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
588. **Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
589. **Dichagyris (s.str.) pfeifferi (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933
590. **Dichagyris (s.str.) psammochroa (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940.
591. **Dichagyris (s.str.) renigera (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
592. **Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
593. **Dichagyris (s.str.) squalorum (Eversmann,1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
594. **Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
595. **Dichagyris (s.str.) tyrannus (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
596. **Dichagyris (s.str.) vallesiaca (Boisduval,[1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval,[1837]
597. **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827
598. **Drasteria caucasica (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
599. **Drasteria herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
600. **Drasteria saisani (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
601. **Earias clorana (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
602. **Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
603. **Egira anatolica (Hering,1933)** (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
604. **Emmelia trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865
605. **Enargia paleacea (Esper,[1788])** (Noctuidae) Synonym(s): *paleacea* Esper,[1788].
606. **Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
607. **Episema amasina (Hampson,1906)** (Noctuidae) Synonym(s): *amasina* Hampson,1906
608. **Episema korsakovi (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
609. **Episema lederi Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937.
610. **Episema tersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimaculata* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
611. **Eremobia asiatica Draudt,1936** (Noctuidae) Synonym(s): *asiatica* Draudt,1936
612. **Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889.
613. **Eublemma (albida-gr.) compunctum (Lederer,1872)** (Noctuidae) Synonym(s): *compuncta* Lederer,1872; *aftob* Brandt,1938.
614. **Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *gratissima* Staudinger,1892; *infusata* Staudinger,1892; *peralba* Schawerda,1923.

615. **Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
616. **Eublemma (bull-gr.) suppurum (Staudinger,1892)** (Noctuidae) Synonym(s): *suppura* Staudinger,1892
617. **Eublemma (candidana-gr.) aureolum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker,2002
618. **Eublemma (candidana-gr.) minutatum (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809].
619. **Eublemma (candidana-gr.) ochreolum (Staudinger,1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936.
620. **Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973.
621. **Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
622. **Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
623. **Eublemma (rosina-gr.) amoenum (Hübner,[1803])** (Noctuidae) Synonym(s): *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888.
624. **Eublemma (rosina-gr.) panonicum (Freyer,1840)** (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844
625. **Eublemma (rosina-gr.) parallelum (Freyer,1842)** (Noctuidae) Synonym(s): *parallela* Freyer,1842; *concinnulla* Herrich-Schäffer,1851; *#densata* W.Warren,1912.
626. **Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
627. **Eublemma suppuncta (Staudinger,1892)** (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892; *#suppuncta* Hacker,1988
628. **Euchalcia (Pseudochalcia) kitchingi Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *kitchingi* Hacker & Ronkay,1992
629. **Euchalcia (s.str.) armeniae Dufay,1966** (Noctuidae) Synonym(s): *armeniae* Dufay,1966; *#armeninae* Hacker,1986.
630. **Euchalcia (s.str.) biezankoi (Alberti,1965)** (Noctuidae) Synonym(s): *biezankoi* Alberti,1965; *#bienzankoi* Hacker,[1987].
631. **Euchalcia (s.str.) dorsiflava (Standfuss,1892)** (Noctuidae) Synonym(s): *dorsiflava* Standfuss,1892
632. **Euchalcia (s.str.) emichi (Rogenhofer,1873)** (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
633. **Euchalcia (s.str.) hedeia Dufay,1978** (Noctuidae) Synonym(s): *hedeia* Dufay,1978; *#hedeja* Hacker,1990; *aureolineata* Ronkay & Gyulai,1997.
634. **Euchalcia (s.str.) siderifera (Eversmann,1846)** (Noctuidae) Synonym(s): *siderifera* Eversmann,1846
635. **Euchalcia (s.str.) taurica (Osthelder,1933)** (Noctuidae) Synonym(s): *taurica* Osthelder,1933
636. **Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) Synonym(s): *viridis* Staudinger,1901
637. **Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Synonym(s): *glyphica* Linnaeus,1758; *pratensis* Müller,1764
638. **Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica* Staudinger,1892
639. **Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) Synonym(s): *chaldaica* Boisduval,1840
640. **Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Synonym(s): *eminens* Lederer,1855; *excellens* Staudinger,1867
641. **Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata* Lederer,1853; *intermedia* Eversmann,1855.
642. **Eugnorisma (s.str.) leuconeura (Hampson,1918)** (Noctuidae) Synonym(s): *leuconeura* Hampson,1918; *fuliginosa* Draudt,1936.
643. **Eulocasta diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
644. **Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa* Hufnagel,1766; *satellitica* Linnaeus,1767
645. **Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix* Staudinger,1892
646. **Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
647. **Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) Synonym(s): *difficillima* Draudt,1937
648. **Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) Synonym(s): *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937.
649. **Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris* Freyer,1838
650. **Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) Synonym(s): *inclusa* Corti,1931
651. **Euxoa (Pleonectopoda) rjabovi Kozhantshikov,1929** (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov,1929; *inclusa* Corti,1931
652. **Euxoa (s.str.) anaemica Draudt,1936** (Noctuidae) Synonym(s): *anaemica* Draudt,1936
653. **Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.

654. **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
655. **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
656. **Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775
657. **Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
658. **Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
659. **Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
660. **Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
661. **Euxoa (s.str.) luteomixta (F.Wagner,1932)** (Noctuidae) Synonym(s): *luteomixta* F.Wagner,1932
662. **Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbenea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
663. **Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *saliclitana* Boursin,1934.
664. **Euxoa (s.str.) scurtilis Draudt,1937** (Noctuidae) Synonym(s): *scurtilis* Draudt,1937
665. **Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
666. **Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) Synonym(s): *sulfifera* Christoph,1893
667. **Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
668. **Euxoa (s.str.) vitta (Esper,[1789])** (Noctuidae) Synonym(s): *vitta* Esper,[1789]
669. **Gortyna cervago Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936.
670. **Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775
671. **Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna,1986
672. **Grammodes stolidia (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidia* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
673. **Hada persa (Alpheraky,1897)** (Noctuidae) Synonym(s): *persa* Alpheraky,1897
674. **Hadena (Anepia) musculina (Staudinger,1892)** (Noctuidae) Synonym(s): *musculina* Staudinger,1892; *mayeri* F.Wagner,1931.
675. **Hadena (Anepia) neglecta Hacker,1992** (Noctuidae) Synonym(s): *neglecta* Hacker,1992
676. **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
677. **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
678. **Hadena (Anepia) wolffi Hacker,1992** (Noctuidae) Synonym(s): *wolffi* Hacker,1992
679. **Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
680. **Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) Synonym(s): *roseocandida* Hacker,1996
681. **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
682. **Hadena (Pinkericola) cappadocia Hacker,1987** (Noctuidae) Synonym(s): *cappadocia* Hacker,1987
683. **Hadena (Pinkericola) inexpectata Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979
684. **Hadena (Pinkericola) tephroleuca (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833
685. **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
686. **Hadena (s.str.(Albimaculia)) cavalla Pinker,1980** (Noctuidae) Synonym(s): *cavalla* Pinker,1980
687. **Hadena (s.str.(Albimaculia)) defreinae Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreinae* Hacker, Kuhna & Gross,1986
688. **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
689. **Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933.
690. **Hadena (s.str.(Anatolidena)) pfeifferi (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934
691. **Hadena (s.str.(Anatolidena)) ronkayorum Hacker,1996** (Noctuidae) Synonym(s): *ronkayorum* Hacker,1996

692. **Hadena (s.str.(Anatolidena)) staudingeri (F.Wagner,1931)** (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931
693. **Hadena (s.str.(Caeshadena)) vanensis Hacker,1996** (Noctuidae) Synonym(s): *vanensis* Hacker,1996
694. **Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
695. **Hadena (s.str.(Clarhadena)) hyrcanoides Hacker,1996** (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996
696. **Hadena (s.str.(Clarhadena)) pseudoclara Hacker,1996** (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996
697. **Hadena (s.str.(Clarhadena)) subhyrcana Hacker,1996** (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996
698. **Hadena (s.str.(Dianthoecia)) impressa (Esper,[1790])** (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
699. **Hadena (s.str.(Filograna)) filograna (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
700. **Hadena (s.str.(Hadenobilis)) chrysographa Hacker,1996** (Noctuidae) Synonym(s): *chrysographa* Hacker,1996
701. **Hadena (s.str.(Hadenobilis)) germanicae Boursin,1959** (Noctuidae) Synonym(s): *germanicae* Boursin,1959
702. **Hadena (s.str.(Hadenobilis)) melanochoa (Staudinger,1892)** (Noctuidae) Synonym(s): *melanochoa* Staudinger,1892
703. **Hadena (s.str.(Hadenobilis)) tristis (Draudt,1934)** (Noctuidae) Synonym(s): *tristis* Draudt,1934
704. **Hadena (s.str.(Hadenobilis)) vulcanica (Turati,1907)** (Noctuidae) Synonym(s): *vulcanica* Turati,1907
705. **Hadena (s.str.(Luteocincta)) femina Hacker,1996** (Noctuidae) Synonym(s): *femina* Hacker,1996
706. **Hadena (s.str.(Luteocincta)) lucida (Brandt,1938)** (Noctuidae) Synonym(s): *lucida* Brandt,1938
707. **Hadena (s.str.(Luteocincta)) persimilis Hacker,1996** (Noctuidae) Synonym(s): *persimilis* Hacker,1996
708. **Hadena (s.str.(Luteocincta)) thecaphaga (Draudt,1937)** (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937
709. **Hadena (s.str.(Luteocincta)) wehrlii (Draudt,1934)** (Noctuidae) Synonym(s): *wehrlii* Draudt,1934
710. **Hadena (s.str.(Magnolihadena)) magnolii (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
711. **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
712. **Hadena (s.str.(Montanohadena)) fibigeri Hacker,1996** (Noctuidae) Synonym(s): *fibigeri* Hacker,1996
713. **Hadena (s.str.(Montanohadena)) praetermissa Hacker,1996** (Noctuidae) Synonym(s): *praetermissa* Hacker,1996
714. **Hadena (s.str.(Montanohadena)) pseudohyrcana De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
715. **Hadena (s.str.(Montanohadena)) purpurea Hacker,1996** (Noctuidae) Synonym(s): *purpurea* Hacker,1996
716. **Hadena (s.str.(Montanohadena)) virescens Hacker,1996** (Noctuidae) Synonym(s): *virescens* Hacker,1996
717. **Hadena (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *consersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
718. **Hadula (Caloestra (Hadufurca)) colletti (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876
719. **Hadula (Caloestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879
720. **Hadula (Caloestra (Hadumendax)) mendica (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895].
721. **Hadula (Caloestra (Hadupugnax)) latemarginata (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltauski,1986.
722. **Hadula (Caloestra (Hadupugnax)) odontites (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
723. **Hadula (Caloestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *tailori* Rothschild,1921
724. **Haemerosia renalis (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
725. **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
726. **Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
727. **Hecatera rhodocharis (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938

728. **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
729. **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
730. **Heliothrips reticulata (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
731. **Heliothrips unicolor (Alpheraky,1889)** (Noctuidae) Synonym(s): *unicolor* Alpheraky,1889
732. **Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
733. **Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
734. **Heliothis viriplaca (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
735. **Heptapotamia eustratii Alpheraky,1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882
736. **Heterophya dumetorum (Geyer,1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer,1834
737. **Hoplotriona ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
738. **Hoplotriona blanda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
739. **Hoplotriona levis (Staudinger,1888)** (Noctuidae) Synonym(s): *levis* Staudinger,1888
740. **Hoplotriona octogenaria (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803]
741. **Hoplotriona pfeifferi (Boursin,1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin,1932.
742. **Hoplotriona respersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 nec Vill.,1789
743. **Hypena munitalis Mann,1861** (Noctuidae) Synonym(s): *munitalis* Mann,1861.
744. **Hypena obesalis Treitschke,1829** (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
745. **Iranada tarachoides (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt,1937
746. **Jodia croceago (Fabricius,1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiaco* Donovan,1796; *corsica* Mabilhe,1868
747. **Lacanobia (Dianobia) thalassina (Hufnagel,1766)** (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
748. **Lacanobia (Diataraxia) oleracea (Linnaeus,1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
749. **Lacanobia (s.str.) w-latinum (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
750. **Lamprosticta culta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#culta* [Denis & Schiffermüller],1775
751. **Lasionycta draudti (F.Wagner,1936)** (Noctuidae) Synonym(s): *draudti* F.Wagner,1936
752. **Ledereragrotis multifida (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
753. **Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
754. **Leucania punctosa (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
755. **Lithophane ledereri (Staudinger,1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892
756. **Lithophane ornitopus (Hufnagel,1766)** (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976
757. **Luperina diversa (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933
758. **Luperina koshantschikovi (Püngeler,1914)** (Noctuidae) Synonym(s): *koshantschikovi* Püngeler,1914
759. **Luperina rjabovi (Kljutschko,1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko,1967
760. **Luperina rubella (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938.
761. **Lycophorus ankarensis (Rebel,1931)** (Noctuidae) Synonym(s): *ankarensis* Rebel,1931; *wichgrafi* Corti & Draudt,1933; *#ankariensis* Hacker,2001
762. **Lygephila cracca (Fabricius,1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller],1775; *cracca* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#cracca* Hacker & Kautt,1999.
763. **Lygephila ludicra (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790
764. **Lygephila lusoria (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyri* Boisduval,[1828]

765. **Lygephila pallida (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *pallida* A.Bang-Haas,1907
766. **Lygephila pastinum (Treitschke,1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke,1826; *astragali* Herrich-Schäffer,1851; *dilutior* Staudinger,1892.
767. **Margelana flavidior Wagner,1831** (Noctuidae) Synonym(s): *flavidior* Wagner,1831
768. **Megalodes eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845
769. **Meganola togatulalis (Hübner,1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner,1796; *togatulana* Duponchel,1845
770. **Melanchra pisi (Linnaeus,1758)** (Noctuidae) Synonym(s): *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945.
771. **Mesapamea (s.str.) didyma (Esper,[1788])** (Noctuidae) Synonym(s): *didyma* Esper,[1788]; *secalella* Remm,1983.
772. **Mesogona acetosellae (Goeze,1781)** (Noctuidae) Synonym(s): *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbodt* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982
773. **Mesologia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
774. **Mesologia literosa (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erratricula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
775. **Metachrostis dardouini (Boisduval,1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
776. **Metalopha (Antholopha) gloriosa (Staudinger,1892)** (Noctuidae) Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
777. **Metopoplus boursini Brandt,1938** (Noctuidae) Synonym(s): *boursini* Brandt,1938
778. **Metopoplus excelsa (Christoph,1885)** (Noctuidae) Synonym(s): *excelsa* Christoph,1885
779. **Minucia bimaculata Osthelder,1933** (Noctuidae) Synonym(s): *bimaculata* Osthelder,1933
780. **Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
781. **Mythimna (Aletia) sassanidica (Hacker,1986)** (Noctuidae) Synonym(s): *sassanidica* Hacker,1986
782. **Mythimna (Aletia) sicula (Treitschke,1835)** (Noctuidae) Synonym(s): *sicula* Treitschke,1835; *albivena* Graslén,1852.
783. **Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellina* Lederer,1870; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisescens* Dannehl,1929.
784. **Mythimna (Hyphilare) albipuncta (Fabricius,1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921.
785. **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
786. **Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafikis,1974.
787. **Nezomyta obtusa Varga & Ronkay,1991** (Noctuidae) Synonym(s): *obtusa* Varga & Ronkay,1991
788. **Nezomyta pusilla (Püngeler,1900)** (Noctuidae) Synonym(s): *pusilla* Püngeler,1900
789. **Noctua (Divaena) haywardi (Tams,1926)** (Noctuidae) Synonym(s): *haywardi* Tams,1926; *balcanica* Slivov,1985
790. **Noctua (Lampra) fimbriata (Schreber,1759)** (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787.
791. **Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
792. **Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
793. **Noctua (Paranoctua) interposita (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
794. **Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piescz.,1908; *decolorata* Turati,1923.
795. **Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patocka,1953; *hungarica* Kovacs,1954.
796. **Nycteola eremostola Dufay,1961** (Noctuidae) Synonym(s): *eremostola* Dufay,1961
797. **Nycteola siculana (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patocka,1953; *pseudodilutana* Obratsov,1954.
798. **Ochroleptura leucogaster (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
799. **Ochroleptura plecta (Linnaeus,1761)** (Noctuidae) Synonym(s): *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942.
800. **Odice arcuinna (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
801. **Odice suava (Hübner,[1813])** (Noctuidae) Synonym(s): *suava* Hübner,[1813].
802. **Oligia latruncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
803. **Oligia turcia Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *turcia* Rezbanyai-Reser,1997

804. **Omphalophana anatolica (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857
805. **Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
806. **Oncocnemis confusa (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
807. **Oncocnemis exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
808. **Oncocnemis fuscipicta Wiltshire,1976** (Noctuidae) Synonym(s): *fuscipicta* Wiltshire,1976
809. **Oncocnemis strioligera Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853
810. **Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949.
811. **Opigena polygona (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
812. **Orthosia (Monima) cerasi (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villiers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
813. **Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
814. **Orthosia rubricosa (Esper,[1786])** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786].
815. **Ozarba lascivalis (Lederer,1855)** (Noctuidae) Synonym(s): *lascivalis* Lederer,1855
816. **Ozarba moldavicola (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874
817. **Parallelia algira (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912
818. **Parexarnis taurica (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
819. **Perigrapha (Opacographa (s.str.)) cilissa Püngeler,1917** (Noctuidae) Synonym(s): *cilissa* Püngeler,1917
820. **Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
821. **Periphanes victorina (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849
822. **Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadeewald,1993
823. **Phytometra viridaria (Clerck,1759)** (Noctuidae) Synonym(s): *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmanni*, Stauder,1915; *latalgira* Schawerda,1924
824. **Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
825. **Plusia festucae (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
826. **Plusidia cheiranthi (Tauscher,1809)** (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913.
827. **Polia sagittigera (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
828. **Polia serratilinea Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
829. **Polymixis (Brandticola) dubiosa (Brandt,1938)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1938
830. **Polymixis (Myxinia) chrysographa (F.Wagner,1931)** (Noctuidae) Synonym(s): *chrysographa* F.Wagner,1931
831. **Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
832. **Polymixis crinomima (Wiltshire,1946)** (Noctuidae) Synonym(s): *crinomima* Wiltshire,1946
833. **Polyphaenis monophaenis Brandt,1938** (Noctuidae) Synonym(s): *monophaenis* Brandt,1938; *#unicoloris* Brandt,1938.
834. **Powellinia carthalina (Christoph,1893)** (Noctuidae) Synonym(s): *carthalina* Christoph,1893
835. **Protexarnis confinis (Staudinger,1881)** (Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *suspiciax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964.
836. **Pseudenargia deleta (Osthelder,1933)** (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
837. **Pseudenargia regina (Staudinger,1892)** (Noctuidae) Synonym(s): *regina* Staudinger,1892
838. **Pyrrhia treitschkii (Frivaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835.
839. **Recophora beata (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892
840. **Rhizedra lutosa (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
841. **Rhyacia (Epipsilia) cervantes (Reisser,1935)** (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975

- 842. Rhyacia (Epipsilia) latens (Hübner,[1809])** (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 843. Rhyacia (s.str.) helvetina (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 844. Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 845. Rhyacia (s.str.) nyctimerides (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987]
- 846. Rhypagla lacernaria (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 847. Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809
- 848. Sideridis (Aneda) rivularis (Fabricius,1775)** (Noctuidae) Synonym(s): *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845.
- 849. Sideridis (Conisania) capsivora (Draudt,1933)** (Noctuidae) Synonym(s): *capsivora* Draudt,1933
- 850. Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990.
- 851. Sideridis (s.str.) turbida (Esper,[1790])** (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
- 852. Simyra dentinosa Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 853. Spaelotis demavendi (F.Wagner,1937)** (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937
- 854. Spaelotis ravida ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933.
- 855. Spaelotis senna (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] nec Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 856. Spodoptera exiguum (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 857. Standfussiana lucerneae (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
- 858. Standfussiana nictymera (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.
- 859. Tholera cespitis (Goeze,1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 860. Tholera decimalis (Poda,1761)** (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927; *chebka* Rungs,1940
- 861. Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 862. Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 863. Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 864. Ulochaena hirta (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 865. Valeria kartalea Kuhna & Schmitz,1997** (Noctuidae) Synonym(s): *kartalea* Kuhna & Schmitz,1997
- 866. Valeria oleagina (Esper,[1786])** (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 867. Valerietta boursini De Freina & Hacker,1985** (Noctuidae) Synonym(s): *boursini* De Freina & Hacker,1985
- 868. Victrix (Rasihia) boursini (Draudt,1936)** (Noctuidae) Synonym(s): *boursini* Draudt,1936
- 869. Victrix (Rasihia) hackeri Varga & Ronkay,1991** (Noctuidae) Synonym(s): *hackeri* Varga & Ronkay,1991
- 870. Victrix (Rasihia) tabora (Staudinger,1892)** (Noctuidae) Synonym(s): *tabora* Staudinger,1892
- 871. Victrix (s.str.) artaxias Varga & Ronkay,1989** (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay,1989
- 872. Victrix sp.** (Noctuidae) Synonym(s):
- 873. Xenophysa huberi Varga,1989** (Noctuidae) Synonym(s): *huberi* Varga,1989
- 874. Xenophysa junctimacula (Christoph,1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938.
- 875. Xestia (Megasema) c-nigrum (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 876. Xestia (s.str.) ochreago (Hübner,[1809])** (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 877. Xestia (s.str.) sareptana (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936

878. **Xylena exsoleta (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
879. **Xylena lunifera W.Warren,1910** (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910
880. **Xylocampa mustapha (Oberthür,1920)** (Noctuidae) Synonym(s): *mustapha* Oberthür,1920
881. **Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
882. **Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941
883. **Zethes brandti Janzon,1977** (Noctuidae) Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea sensu* Koçak,1977; *brandti* Janzon,1977.
884. **Zethes narghisa Brandt,1938** (Noctuidae) Synonym(s): *narghisa* Brandt,1938
885. **Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
886. **Clostera curtula (Linnaeus,1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783
887. **Clostera pigra (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936
888. **Drymonia ruficornis (Hufnagel,1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803
889. **Drymonia velitaris (Hufnagel,1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789
890. **Furcula bicipis (Borkhausen,1790)** (Notodontidae) Synonym(s): *bicipis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
891. **Harpyia milhauseri (Fabricius,1775)** (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
892. **Notodonta tritophus ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983.
893. **Peridea korbi (Rebel,1918)** (Notodontidae) Synonym(s): *korbi* Rebel,1918
894. **Phalera bucephala (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lumula* Retzius,1783 nec Hufn.,1766 non Strm,1768.
895. **Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) Synonym(s): *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
896. **Spatalia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775
897. **Stauropus fagi (Linnaeus,1758)** (Notodontidae) Synonym(s): *fagi* Linnaeus,1758
898. **Eratophyes amasiella (Herrich-Schäffer,[1855])** (Oecophoridae) Synonym(s): *amasiella* Herrich-Schäffer,[1855]; *aleatrix* Diakonoff,1975.
899. **Esperia imitatrix (Zeller,1847)** (Oecophoridae) Synonym(s): *imitatrix* Zeller,1847
900. **Pleurota issicella Staudinger,1880** (Oecophoridae) Synonym(s): *issicella* Staudinger,1880
901. **Pleurota pyropella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
902. **Pleurota subpyropella Staudinger,1880** (Oecophoridae) Synonym(s): *subpyropella* Staudinger,1880
903. **Apterona helicoidella (Vallot,1827)** (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851].
904. **Canephora caucasica (A.Bang-Haas,1912)** (Psychidae) Synonym(s): *caucasica* A.Bang-Haas,1921; *subgrisea* Kozhanchikov,1956.
905. **Cnaemidophorus rhododactylus (Fabricius,1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931; *#rhododactyls* Arenberger,1998
906. **Platyptilia chondrodactyla Caradja,1920** (Pterophoridae) Synonym(s): *chondrodactyla* Caradja,1920
907. **Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
908. **Stenoptilia mannii (Zeller,1852)** (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochroa* Meyrick,1930.
909. **Wheeleria sobeidae (Arenberger,1981)** (Pterophoridae) Synonym(s): *sobeidae* Arenberger,1981
910. **Acrobasis atrisquamella Ragonot,1887** (Pylalidae) Synonym(s): *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
911. **Acrobasis centunculella (Mann,1859)** (Pylalidae) Synonym(s): *centunculella* Mann,1859
912. **Acrobasis glaucella Staudinger,1859** (Pylalidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
913. **Aeglotis argentalis (Christoph,1887)** (Pylalidae) Synonym(s): *argentalis* Christoph,1887
914. **Agriphila geniculea (Haworth,[1811])** (Pylalidae) Synonym(s): *geniculea* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839.
915. **Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikowsky,1909

916. **Ancylosis (Cabotia) oblitella (Zeller,1848)** (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
917. **Ancylosis (Heterographis) faustinella (Zeller,1867)** (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabille,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
918. **Ancylosis (Heterographis) hellenica (Staudinger,1870)** (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
919. **Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *bartelevella* Caradja,1910; *benderella* Amsel,1961.
920. **Ancylosis (Heterographis) xylinella (Staudinger,1870)** (Pyralidae) Synonym(s): *xylinella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
921. **Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
922. **Ancylosis (s.str.) maculifera Staudinger,1870** (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
923. **Anthophilopsis baphialis (Staudinger,1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
924. **Aporodes floralis (Hübner,[1809])** (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *grisealis* Caradja,1917; *#florealis* Rebel,1939.
925. **Aporodes nepticulalis Hofmann,[1898]** (Pyralidae) Synonym(s): *nepticulalis* Hofmann,[1898]
926. **Arsissa divaricella (Ragonot,1887)** (Pyralidae) Synonym(s): *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961.
927. **Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
928. **Asalebria (Exophora) exasperata (Staudinger,1879)** (Pyralidae) Synonym(s): *exasperata* Staudinger,1879
929. **Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862
930. **Bazaria leucochrella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855].
931. **Bradyrrhoa cantenerella (Duponchel,1837)** (Pyralidae) Synonym(s): *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955
932. **Bradyrrhoa gilveolella (Treitschke,1833)** (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
933. **Bradyrrhoa trapezella (Duponchel,1836)** (Pyralidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalconiella* Herrich-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
934. **Cadra delattinella Roesler,1965** (Pyralidae) Synonym(s): *delattinella* Roesler,1965
935. **Cadra furcatella (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]
936. **Chilo pulverosellus Ragonot,1895** (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezii* Joannis,1932; *lemarchandellus* Lucas,1945.
937. **Chrysocrambus craterellus (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
938. **Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
939. **Chrysocrambus syriellus (Zerny,1934)** (Pyralidae) Synonym(s): *syriellus* Zerny,1934
940. **Conobathra repandana (Fabricius,1798)** (Pyralidae) Synonym(s): *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888.
941. **Crambus perlellus (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
942. **Cynaeda gigantea (Wocke,1871)** (Pyralidae) Synonym(s): *gigantea* Wocke,1871
943. **Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
944. **Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775
945. **Ecbatania holopyrrhella (Ragonot,1888)** (Pyralidae) Synonym(s): *holopyrrhella* Ragonot,1888
946. **Ecpyrrorrhoe diffusalis (Guenée,1854)** (Pyralidae) Synonym(s): *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862.
947. **Elegia fallax (Staudinger,1881)** (Pyralidae) Synonym(s): *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953.
948. **Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
949. **Epascestria pustulalis (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
950. **Ephelis cruentalis (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835

951. **Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
952. **Epidauria discella Ragonot,1901** (Pyralidae) Synonym(s): *discella* Ragonot,1901
953. **Epidauria strigosa (Staudinger,1879)** (Pyralidae) Synonym(s): *strigosa* Staudinger,1879
954. **Epiepischnia pseudolydella Amsel,1953** (Pyralidae) Synonym(s): *pseudolydella* Amsel,1953
955. **Epischnia prodromella (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939
956. **Etiella zinckenella (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 *nec* Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
957. **Euchromius bellus (Hübner,1796)** (Pyralidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
958. **Euchromius cochlearellus (Amsel,1949)** (Pyralidae) Synonym(s): *cochlearella* Amsel,1949
959. **Euchromius keredjellus (Amsel,1949)** (Pyralidae) Synonym(s): *keredjella* Amsel,1949
960. **Euchromius ocelleus (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
961. **Euchromius superbellus (Zeller,1849)** (Pyralidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
962. **Euchromius vinculellus (Zeller,1847)** (Pyralidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrutella* Amsel,1949.
963. **Eurrhysis cacuminalis (Eversmann,1843)** (Pyralidae) Synonym(s): *cacuminalis* Eversmann,1843
964. **Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaella* Moore,1891; *immunella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
965. **Euzophera (s.str.) flagella (Lederer,1869)** (Pyralidae) Synonym(s): *flagella* Lederer,1869
966. **Euzophera (s.str.) imperfectella Ragonot,1895** (Pyralidae) Synonym(s): *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
967. **Euzophera (s.str.) umbrosella (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albogilvella* Ragonot,1887; *depauperatella* Ragonot,1901.
968. **Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
969. **Evergestis frumentalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761
970. **Evergestis infirmalis (Staudinger,1870)** (Pyralidae) Synonym(s): *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870
971. **Evergestis nomadalis (Lederer,1871)** (Pyralidae) Synonym(s): *nomadalis* Lederer,1871
972. **Evergestis subfuscalis (Staudinger,1870)** (Pyralidae) Synonym(s): *subfuscalis* Staudinger,1870
973. **Evergestis umbrosalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm,[1842]
974. **Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
975. **Glaucocharis euchromiella (Ragonot,1895)** (Pyralidae) Synonym(s): *euchromiella* Ragonot,1895; *sinualis* Hampson,1900; *rebeli* Osthelder,1941.
976. **Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyralidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
977. **Hyperlais dulcinalis (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835
978. **Hypochalcia ahenella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
979. **Hypsopygia costalis (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
980. **Hypsotropa limbella Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848
981. **Isauria dilucidella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
982. **Keradere lepidella (Ragonot,1887)** (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
983. **Lambaesia straminella (Zerny,1914)** (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphitopis* Meyrick,1937.
984. **Loxostege halil Kemal & Koçak,2007** (Pyralidae) Synonym(s): *halil* Kemal & Koçak,2007
985. **Mecyna lutulentalis (Lederer,1858)** (Pyralidae) Synonym(s): *lutulentalis* Lederer,1858
986. **Mecyna subsequialis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *subsequialis* Herrich-Schäffer,1851; *consequens* Meyrick,1932.
987. **Mecyna trinalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller],1775
988. **Mesocrambus candidellus (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965.

- 989. Metacrambus carectellus (Zeller,1847)** (Pyralidae) Synonym(s): *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916.
- 990. Metallosticha argyrogrammos (Zeller,1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847
- 991. Metasia (s.str.) carnealis (Treitschke,1829)** (Pyralidae) Synonym(s): *carnealis* Treitschke,1829
- 992. Microstega praepetalis (Lederer,1869)** (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937
- 993. Mimudea confinalis (Lederer,1858)** (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
- 994. Mimudea institalis (Hübner,[1819])** (Pyralidae) Synonym(s): ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833
- 995. Mimudea lutealis (Hübner,[1809])** (Pyralidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854
- 996. Myelois (Gnathogutta) circumdatella Lederer,1858** (Pyralidae) Synonym(s): *circumdatella* Lederer,1858; *ottoella* Schawerda,1924
- 997. Myelois (Gnathogutta) pumicosa Lederer,1855** (Pyralidae) Synonym(s): *pumicosa* Lederer,1855
- 998. Myelois (s.str.) circumvoluta (Fourcroy,1785)** (Pyralidae) Synonym(s): *circumvoluta* Fourcroy,1785; *circumvolutella* Villers,1789; *cribrella* Hübner,1796; *carhdui* Haworth,1811; *medullalis* Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952
- 999. Myrleae albistrigata (Staudinger,1881)** (Pyralidae) Synonym(s): *albistrigata* Staudinger,1881
- 1000. Neocrambus wolfschlaegeri (Schawerda,1937)** (Pyralidae) Synonym(s): *wolfschlaegeri* Schawerda,1937
- 1001. Nephopterix minimella Amsel,1953** (Pyralidae) Synonym(s): *minimella* Amsel,1953
- 1002. Noctuelia superba (Freyer,[1844])** (Pyralidae) Synonym(s): *superba* Freyer,[1844]
- 1003. Noctuelia vespertalis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis* Zerny,1914.
- 1004. Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775
- 1005. Oncocera semirubella (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 1006. Ostrinia nubilalis (Hübner,1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796.
- 1007. Panstegia limbopunctalis (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *limbopunctalis* Herrich-Schäffer,[1849] [see below]
- 1008. Paracorsia repandalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775
- 1009. Parapoinx stratiotatum (Linnaeus,1758)** (Pyralidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935
- 1010. Paratalanta hyalinalis (Hübner,1796)** (Pyralidae) Synonym(s): *hyalinalis* Hübner,1796
- 1011. Pempelia alpigenella (Duponchel,1836)** (Pyralidae) Synonym(s): *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845
- 1012. Pempelia johannella (Caradja,1917)** (Pyralidae) Synonym(s): *johannella* Caradja,1917
- 1013. Pempelia romanoffella (Ragonot,1887)** (Pyralidae) Synonym(s): *romanoffella* Ragonot,1887
- 1014. Phlyctaenomorpha sinuosalis (Le Cerf,1910)** (Pyralidae) Synonym(s): *sinuosalis* le Cerf,1909; *platyphaea* Meyrick,1937.
- 1015. Phycita kurdistanella Amsel,1953** (Pyralidae) Synonym(s): *kurdistanella* Amsel,1953
- 1016. Phycita strigata (Staudinger,1879)** (Pyralidae) Synonym(s): *strigata* Staudinger,1879
- 1017. Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 1018. Phycitodes binaevella (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
- 1019. Phycitodes carlinella (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *canisella* Ragonot,1901
- 1020. Phycitodes lacteella (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965.
- 1021. Phycitodes nigrilimbella (Ragonot,1887)** (Pyralidae) Synonym(s): *nigrilimbella* Ragonot,1887
- 1022. Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan,1870
- 1023. Pima boisduvaliella (Guenée,1845)** (Pyralidae) Synonym(s): *boisduvaliella* Guenée,1845
- 1024. Plodia interpunctella (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 1025. Prorophora (Epischidia) albunculella (Staudinger,1879)** (Pyralidae) Synonym(s): *albunculella* Staudinger,1879; *rhectogramma* Meyrick,1937.



1026. **Psammotis pulveralis (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
1027. **Psorosa maraschella Caradja,1910** (Pyralidae) Synonym(s): *maraschella* Caradja,1910
1028. **Psorosodes dalakiella Amsel,1953** (Pyralidae) Synonym(s): *dalakiella* Amsel,1953
1029. **Pterothrixidia contectella (Zeller,1848)** (Pyralidae) Synonym(s): *contectella* Zeller,1848
1030. **Pterothrixidia impurella (Duponchel,1836)** (Pyralidae) Synonym(s): *impurella* Duponchel,1836
1031. **Pyralis farinalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
1032. **Pyralis regalis [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775
1033. **Pyrasia gutturalis (Staudinger,1879)** (Pyralidae) Synonym(s): *gutturalis* Staudinger,1879
1034. **Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775.
1035. **Pyrausta (Haematia) sanguinalis (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
1036. **Pyrausta (Haematia) virginalis (Duponchel,1832)** (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
1037. **Pyrausta (s.str.) aurata (Scopoli,1763)** (Pyralidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863
1038. **Pyrausta (s.str.) falcatalis (Guenée,1854)** (Pyralidae) Synonym(s): *falcatalis* Guenée,1854; *coecilialis* Walker,1859; *flegialis* Walker,1859; *noraxalis* Walker,1859; *ocellusalis* Walker,1859; *palopealis* Walker,1859; *probalis* Walker,1859; *catenalis* Walker,[1866]; *concatenalis* Walker,[1866]; *juncturalis* Walker,[1866]; *tauricalis* Caradja,1917
1039. **Pyrausta (s.str.) inciae Koçak,1982** (Pyralidae) Synonym(s): *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
1040. **Pyrausta (s.str.) obfuscata (Scopoli,1763)** (Pyralidae) Synonym(s): *obfuscata* Scopoli,1763; *fuscatorubella* Goeze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842
1041. **Sciota (s.str.) imperialella (Ragonot,1887)** (Pyralidae) Synonym(s): *imperialella* Ragonot,1887
1042. **Sciota (s.str.) insignella (Mann,1862)** (Pyralidae) Synonym(s): *insignella* Mann,1862
1043. **Sciota (s.str.) rhenella (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818
1044. **Scoparia ingrattella (Zeller,1846)** (Pyralidae) Synonym(s): ? *majalis* Scopoli,1763; *ingrattella* Zeller,1846; *ingrattalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
1045. **Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
1046. **Sitochroa verticalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
1047. **Sultania lophotalis (Hampson,1900)** (Pyralidae) Synonym(s): *lophotalis* Hampson,1900
1048. **Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
1049. **Synaphe consecratalis (Lederer,1855)** (Pyralidae) Synonym(s): *consecratalis* Lederer,1855
1050. **Synaphe moldavica (Esper,[1789])** (Pyralidae) Synonym(s): *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.
1051. **Synaphe punctalis (Fabricius,1775)** (Pyralidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775.
1052. **Tegostoma perlepidalis (Guenée,1854)** (Pyralidae) Synonym(s): ? *lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; ? *lepidale* Caradja,1917.
1053. **Titanio normalis (Hübner,1796)** (Pyralidae) Synonym(s): *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
1054. **Titanio venustalis (Lederer,1855)** (Pyralidae) Synonym(s): *venustalis* Lederer,1855
1055. **Tretopteryx pertusalis (Geyer,[1832])** (Pyralidae) Synonym(s): *pertusalis* Geyer,[1832]; *weissenbornii* Freyer
1056. **Trigonuncus euergestalis Amsel,1953** (Pyralidae) Synonym(s): *euergestalis* Amsel,1953; ? *euergestalis* Wiltshire,1957.
1057. **Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; ? *ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
1058. **Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; ? *limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
1059. **Xanthocrambus argentarius (Staudinger,1867)** (Pyralidae) Synonym(s): *argentarius* Staudinger,1867
1060. **Xanthocrambus saxonellus (Zincken,1821)** (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
1061. **Zophodiodes leucocostella Ragonot,1887** (Pyralidae) Synonym(s): *leucocostella* Ragonot,1887
1062. **Saturnia (Heraea) cephalariae (Romanoff,1885)** (Saturniidae) Synonym(s): *cephalariae* Romanoff,1885
1063. **Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinker* Kobes,1980.

1064. **Scythris (pascuella-gr.) tabescentella (Staudinger,1880)** (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; ? *caniolella* Fuchs,1903
1065. **Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
1066. **Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara De Freina*,1983; *tubercula De Freina*,1983; *barbarossa De Freina*,1983.
1067. **Bembecia hofmanni Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka,2003
1068. **Bembecia sanguinolenta (Lederer,1853)** (Sesiidae) Synonym(s): *sanguinolenta* Lederer,1853
1069. **Chamaesphecia aurifera (Romanoff,1885)** (Sesiidae) Synonym(s): *aurifera* Romanoff,1885
1070. **Chamaesphecia doryceraeformis (Lederer,1853)** (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
1071. **Chamaesphecia sefid Le Cerf,1938** (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001
1072. **Paranthrene diaphana Dalla-Torre & Strand,1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
1073. **Synanthedon vespiformis (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795
1074. **Tinthia hoplisiformis (Mann,1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann,1864
1075. **Tinthia tineiformis (Esper,[1789])** (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
1076. **Agrius convolvuli (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
1077. **Akbesia davidi (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884
1078. **Clarina kotschy (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901.
1079. **Deilephila suellus Staudinger,1878** (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
1080. **Dolbina elegans (A.Bang-Haas,1912)** (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
1081. **Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
1082. **Hemaris (Eitschbergera) tityus (Linnaeus,1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus,1758; *bombyliiformis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998
1083. **Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
1084. **Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
1085. **Hyles hippophaes (Esper,[1789])** (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaeas* De Freina,1981
1086. **Hyles nicaea (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicea* De Freina,1981
1087. **Laothoe populeti (Bienert,[1870])** (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
1088. **Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
1089. **Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarribia,1973.
1090. **Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
1091. **Rethera komarovi (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
1092. **Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
1093. **Tethea ocularis (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kossuigi* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901
1094. **Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949
1095. **Aethes eryngiella (Vallot,1829)** (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
1096. **Aethes iranica Razowski,1963** (Tortricidae) Synonym(s): *iranica* Razowski,1963
1097. **Aethes moribundana (Staudinger,1859)** (Tortricidae) Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
1098. **Aethes spirana (Kennel,1899)** (Tortricidae) Synonym(s): *spirana* Kennel,1899

- 1099. *Aethes tesserana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *aleella* Sulzer,1776; *heiserana* Fabricius,1787; *groendalana* Thunberg,1791.
- 1100. *Aethes tornella* (Walsingham,1898)** (Tortricidae) Synonym(s): *tornella* Walsingham,1898
- 1101. *Aleimma loeflingianum* (Linnaeus,1758)** (Tortricidae) Synonym(s): *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypana* Hübner,[1800]; *plumbeolana* Haworth,1811
- 1102. *Aphelia (Zelothereses) ochreana* (Hübner,[1799])** (Tortricidae) Synonym(s): *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obraztsov,1957
- 1103. *Archips xylosteanus* (Linnaeus,1758)** (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901
- 1104. *Cnephasia* (s.str.) *chrysanthæana* (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; *#cinereana* Meyrick,1912
- 1105. *Cochylimorpha diana* (Kennel,1899)** (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 1106. *Cochylimorpha eburneana* (Kennel,1899)** (Tortricidae) Synonym(s): *eburneana* Kennel,1899
- 1107. *Cochylimorpha thomasi* Karisch,2003** (Tortricidae) Synonym(s): *thomasi* Karisch,2003
- 1108. *Cochylis posterana* Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 1109. *Crociosema plebejana* Zeller,1847** (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946.
- 1110. *Croesia forsskalæana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *forsskalæana* Linnaeus,1758; *forskaliana* Haworth,1811.
- 1111. *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 1112. *Dichrorampha ligulana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *ligulana* Herrich-Schäffer,1851; *plusiana* Staudinger,1871; *obliterana* Müller-Rutz,1934
- 1113. *Epiblema foenellum* (Linnaeus,1758)** (Tortricidae) Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863
- 1114. *Epinotia festivana* (Hübner,[1799])** (Tortricidae) Synonym(s): *festivana* Hübner,[1799]
- 1115. *Eudemis* (s.str.) *porphyra* (Hübner,[1799])** (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915
- 1116. *Eugnosta magnificana* (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914.
- 1117. *Fulvoclysia subdolana* (Kennel,1901)** (Tortricidae) Synonym(s): *subdolana* Kennel,1901; *subflavana* Amsel,1959
- 1118. *Cydia caecana* (Schläger,1847)** (Tortricidae) Synonym(s): *caecana* Schläger,1847; *obcaecana* Ragonot,1876
- 1119. *Metendothenia atropunctana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845
- 1120. *Pammene amygdalana* (Duponchel,1842)** (Tortricidae) Synonym(s): *amygdalana* Duponchel,1842
- 1121. *Pammene gallicolana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *gallicolana* Lienig & Zeller,1846
- 1122. *Pandemis cinnamomeana* (Treitschke,1830)** (Tortricidae) Synonym(s): *croceana* Hübner,[1799]; *croceana* Frölich,1828 (praeocc.); *cinnamomeana* Treitschke,1830; *basana* Zerny,1935
- 1123. *Paramesia gnomana* (Clerck,1759)** (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.
- 1124. *Phtheochroa duponchelana* (Duponchel,1843)** (Tortricidae) Synonym(s): *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900
- 1125. *Pseudeulia asinana* (Hübner,[1799])** (Tortricidae) Synonym(s): *asinana* Hübner,[1799]
- 1126. *Thiodia citrana* (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obraztsov,1964.
- 1127. *Thiodia couleruana* (Duponchel,1835)** (Tortricidae) Synonym(s): *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obraztsov,1952
- 1128. *Tortrix viridana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 *nec* Hübn.,[1799]; *coeruleana* Sorhagen,1881.
- 1129. *Plutella* (s.str.) *xylostella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 *nec* Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1943
- 1130. *Yponomeuta malinellus* Zeller,1838** (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 1131. *Adscita* (s.str.) *obscura* (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 1132. *Adscita* (s.str.) *storaiae* (Tarmann,1977)** (Zygaenidae) Synonym(s): *storaiae* Tarmann,1977
- 1133. *Jordanita* (Lucasiterna) *subsolana* (Staudinger,1862)** (Zygaenidae) Synonym(s): *subsolana* Staudinger,1862

- 1134. Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) Synonym(s): *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; ? *christinae* Keil,1998.
- 1135. Jordanita (Rjabovia) horni (Alberti,1937)** (Zygaenidae) Synonym(s): *horni* Alberti,1937; #*armena* Alberti,1970.
- 1136. Jordanita (Roccia) volgensis (Möschler,1862)** (Zygaenidae) Synonym(s): *volgensis* Möschler,1862
- 1137. Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) Synonym(s): *notata* Zeller,1847
- 1138. Jordanita (s.str.) graeca (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907; *sultana* Alberti,1937
- 1139. Zygaena (Agrumenia) carniolica (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 1140. Zygaena (Agrumenia) olivieri Boisduval,1828** (Zygaenidae) Synonym(s): *olivieri* Boisduval,1828; *cremonae* Seitz,1907
- 1141. Zygaena (Agrumenia) sedi Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 1142. Zygaena (Mesembrynus) brizae (Esper,1800)** (Zygaenidae) Synonym(s): *brizae* Esper,1800
- 1143. Zygaena (Mesembrynus) cambysea Lederer,1870** (Zygaenidae) Synonym(s): *cambysea* Lederer,1870
- 1144. Zygaena (Mesembrynus) cuvieri Boisduval,1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828
- 1145. Zygaena (Mesembrynus) haematina Kollar,[1849]** (Zygaenidae) Synonym(s): *haematina* Kollar,[1849]
- 1146. Zygaena (Mesembrynus) lydia Staudinger,1887** (Zygaenidae) Synonym(s): *lydia* Staudinger,1887
- 1147. Zygaena (Mesembrynus) manlia Lederer,1870** (Zygaenidae) Synonym(s): *manlia* Lederer,1870
- 1148. Zygaena (Mesembrynus) minos ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775.
- 1149. Zygaena (Mesembrynus) purpuralis (Brünnich,1763)** (Zygaenidae) Synonym(s): *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973.
- 1150. Zygaena (Mesembrynus) rubricollis Hampson,1900** (Zygaenidae) Synonym(s): *rubricollis* Hampson,1900
- 1151. Zygaena (Mesembrynus) tamara Christoph,1889** (Zygaenidae) Synonym(s): *tamara* Christoph,1889
- 1152. Zygaena (s.str.) filipendulae (Linnaeus,1758)** (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783
- 1153. Zygaena (Agrumenia) loti ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777

Bibliography

- 1. Alberti, B.,** 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art- und Gattungsbegriff. Z. Lepid. 3: 105-142, figs.
- 2. Amsel, H.G.,** 1953, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16): 255-326, figs.
- 3. Amsel, H.G.,** 1955, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 14 (2): 119-129, pl.
- 4. Amsel, H.G.,** 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf.
- 5. Amsel, H.G.,** 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf.
- 6. Amsel, H.G.,** 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs.
- 7. Amsel, H.G.,** 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 29: 25-66, 27 textfigs., 4 pls.
- 8. Amsel, H.G.,** 1979, Zur Unterartbildung bei *Axia theresiae* (Korb,1900) (Lepidoptera, Axiidae). Atalanta 10 (1): 70-77, pl.
- 9. Baisch, G., Beshkov, S.V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al.,** 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). Esperiana 6: 213-373.
- 10. Baldizzone, G.,** 2007, Contribuzioni alla conoscenza dei Coleophoridae CXV. Su alcune interessanti specie di Coleophoridae della Turchia e regioni limitrofe (Lepidoptera, Coleophoridae). Shilar Revta. lepid. 35 (139): 355-367, figs.
- 11. Behounek, G. & H.Hacker,** 1986, *Lygephila schachti* n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). Entomofauna 7 (3): 41-53, 8 Abb.
- 12. Bengtsson, B.A.,** 1997, Scythrididae, [in] Huemer, P., Karsholt, O. & L.Lyneborg, Microlepidoptera of Europe 2: 1-301, Pls.
- 13. Benyamini, D. & M.Avni,** 2001, *Muschampia proteides stepporum* subsp.nov. from the steppe belts of eastern Israel and western Jordan (Lepidoptera, Hesperidae). Linneana Belgica 18 (1): 45-54, figs.
- 14. Bernardi, G.,** 1970, La Variation géographique de *l'Anthocharis grüneri* H.S. Lambillionea 70: 1-13, figs.

15. **Bernardi, G.**, 1970, Note sur la Variation géographique d'*Allancastris cerisyi* Godart (Papilionidae). *Lambillionea* 70: 55-64.
16. **Betti, G.**, 1977, Nouvelles sous-espèces des Lycaenidae paléarctiques. *Alexanor* 10 (2): 87-95, Tab.i-iv.
17. **Betti, G.**, 1989, Contribution a la connaissance des Parnassius d'Anatolie (Lepidoptera, Papilionidae). *Linneana Belg.* 12 (2): 67-76, 3 figs.
18. **Beuret, H.**, 1952, *Palaeochrysophanus candens* H.S., eine bisher verkannte Art (Lycaenidae). *Mitt. ent. Ges. Basel* 2: 57-64, figs.
19. **Boursin, C.**, 1932, Zwei neue *Athetis* aus dem Libanon. *Int. ent. Z.* 26: 245-248, Pl.
20. **Boursin, C.**, 1952, Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen, III. *Z. f. Lepidopt.* 2 (1): 49-68.
21. **Boursin, C.**, 1967, Eine neue *Mythimna* O. aus Ostanatolien. *Z. wien. ent. Ges.* 52: 90-91, pl.
22. **Bramson, K.L.**, 1910, Analytische Uebersicht der Formen von *Melitaea didyma* O. *Horae Soc. ent. ross.* 39: 391-410.
23. **Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois.
24. **Bryk, F.**, 1912-1914, Parnassiana v. Zur Synopsis der asiatischen Mnemosyne. *Societas Ent.* 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; *ibid.* 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
25. **Burgeff, H.**, 1914, Kommentar zum paläarktischen Teil der Gattung *Zygaena* des von Chr. Aurivillius und H. Wagner herausgegebenen Catalogue Lepidopterorum. *Mitt. münch. ent. Ges.* 5 (5/8): 35-70; (9/12): 77-78, Taf.ii-vi.
26. **Carbonell, F.**, 1991, Contribution a la connaissance du genre *Archon* Hübner, 1822. Découverte de zones de sympatrie pour *Archon apollinus* (Herbst) et *A. apollinaris* Staudinger (Lepidoptera, Papilionidae). *Linneana Belgica* 13 (1): 3-12, figs.
27. **Carbonell, F.**, 1991, Contribution a la connaissance du genre *Polyommatus* en Turquie orientale (Lepidoptera, Lycaenidae). *Linneana Belgica* 13 (4): 221-235, figs.
28. **Carbonell, F.**, 1991, Une espèce jumelle méconnue du genre *Polyommatus* (*Neolysandra*) Koçak, 1977. *Linneana Belgica* 13 (1): 35-45, figs.
29. **Carbonell, F.**, 1993, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): le complexe ultraspécifique d'*A. transcaspica* Staudinger (1899) (Lepidoptera, Lycaenidae). *Linneana Belgica* 14 (2): 89-116, 12 figs. Tab.
30. **Carbonell, F.**, 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), position taxinomique d'*Agrodiaetus anticarmon* Koçak, 1983 (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (7): 263-265, 6 figs.; 16(8): 349.
31. **Coutsis, J.G., Prins, W.de & D.v.d.Poorten**, 1997, *Turanana laspura* Evans separated from *T. cytis* (Christoph) as a distinct species (Lepidoptera, Lycaenidae). *Phegea* 25 (3): 135-140, 9 figs.
32. **Ebert, G. & H.Hacker**, 2002, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). *Esperiana* 9: 237-409, figs.
33. **Ebert, G.**, 1971, Drei neue Macrolepidoptera-Arten aus Iran. *Beitr. naturk. Forsch. SWDtl.* 30: 65-71, 1 Taf., 9 Abb.
34. **Eckweiler, W. & C.L.Häuser**, 1997, An illustrated checklist of *Agrodiaetus* Hübner, 1822, a subgenus of *Polyommatus* Latreille, 1804 (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.), Suppl. 16: 113-168, figs.
35. **Eckweiler, W. & K.G.Schurian**, 1980, Verbreitung und subspezifische Gliederung von *Neolysandra coelestina* (Eversmann, 1843) (Lep., Lycaenidae). *Atalanta* 11 (1): 69-78, 8 figs.
36. **Eckweiler, W.**, 1978, Eine neue Art der Gattung *Hyponephele* Muschamp aus der Südosttürkei (Lepidoptera, Satyridae). *Atalanta* 9 (4a): 375-379, 9 figs.
37. **Eckweiler, W.**, 1984, Eine neue Unterart von *Turanana cytis* (Christoph, 1877) aus Türkisch-Kurdisten (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 5(2/3): 63-70, figs.
38. **Eisner, C.**, 1968, Parnassiana nova XLIII. Nachträgliche Betrachtungen zu der Revision der Subfamilie Parnassiinae (Fortsetzung 16). *Zool. Meded* 43 (2): 9-17, 2 Taf.
39. **Eitschberger, U.**, [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). *Herbipoliana* 1 (1): xxii+504pp., 1(2): 601pp. Markt-leuthen.
40. **Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner, [1819], *Laiothe* Fabricius, 1807, *Pachysphinx* Rothschild & Jordan, 1903 und *Phyllosphinxia* Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). *Neue ent. Nachr.* 23: 151-195, figs.
41. **Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner, [1819], sowie *Smerinthus* Latreille, [1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 23: 85-149, figs.
42. **Fabricius, J.C.**, 1775, *Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus*. 832 pp. Flensburgi et Lipsiae.
43. **Fabricius, J.C.**, 1781, *Species Insectorum* vol. 1, viii+ 552 pp., vol. 2, 494 pp. Hamburgi et Kilonii.
44. **Fabricius, J.C.**, 1787, *Mantissa Insectorum*. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
45. **Fabricius, J.C.**, 1793, *Entomologia systematica*. vol.2, viii+519 pp. Hafniae.
46. **Fabricius, J.C.**, 1794, *Entomologia systematica*. vol.3, pars 2, 349 pp. Hafniae.
47. **Fibiger, M.**, 1990, *Noctuidae Europaeae* vol.1 Noctuidae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
48. **Fibiger, M.**, 1993, *Noctuidae Europaeae* vol.2 Noctuidae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
49. **Fibiger, M.**, 2002, A new species in the genus *Dichagyris* Lederer, 1857 hitherto regarded as the Turkish form of *D. eremicola* (Standfuss, 1888); *Dichagyris wilsoni* sp.n. (Lepidoptera, Noctuidae). *Esperiana* 9: 511-515, pl.9.
50. **Forster, W.**, 1938, Die *Lycaena pylaon*-Gruppe. *Ent. Rdsch.* 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.

51. **Forster, W.**, 1956, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) I. Z. wien. ent. Ges. 41: 42-61, 70-89, 118-127, Taf. 8-13.
52. **Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
53. **Freina, J.J.de & B.Aussem**, 1987, *Chazara bischoffi* (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 36 (1): 1-10, figs.
54. **Freina, J.J.de & B.Aussem**, 1987, *Hyponephele urartua* sp.n., eine neue Satyriden-Art aus Anatolien (Lep., Satyridae). Nota lepid. 9 (3/4): 200-212, 29 Abb.
55. **Freina, J.J.de & M.Geck**, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von *Akbesia davidi* (Oberthür, 1884) (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 23 (4): 167-180, figs.
56. **Freina, J.J.de**, 1979, Eine beobachtete Massenwanderung von *Colias crocea* Fourcroy, 1785 in Südost-Anatolien. Atalanta 10: 94-96, 1 fig.
57. **Freina, J.J.de**, 1983, *Papilio alexanor orientalis* Romanoff, 1885. Angaben zur Biologie, Verbreitung und zur Frage der Berechtigung dieses Taxons (Lepidoptera, Papilionidae). Atalanta 14: 23-30, figs.
58. **Freina, J.J.de**, 1985, Zur Verbreitung von *Eupatúra mirza* Ebert, 1971 in Kleinasien (Lepidoptera, Nymphalidae). NachrBl. bayer. Ent. 34(2): 49-51, figs.
59. **Freina, J.J.de**, 1989, *Gonepteryx rhamni* (Linnaeus, 1758) in Kleinasien. Bemerkungen zur Bionomie und geographischen Variabilität mit Beschreibung einer neuen Unterart (Lepidoptera, Pieridae). Mitt. münch. ent. Ges. 79: 111-117, 7 Abb.
60. **Freina, J.J.de**, 1999, 10. Beitrag zur systematischen Erfassung der Bombyces und Sphinges-Fauna Kleasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung der Lasiolepididae, Lemoniidae, Notodontidae, Thaumetopoeidae, Lymantriidae, Arctiidae... Atalanta 30 (1/4): 187-257, Taf. xi, xia.
61. **Fric, Z., Wahlberg, N., Pech, P. & J.Zrzavy**, 2007, Phylogeny and classification of the Phengaris-Maculinea clade (Lepidoptera, Lycaenidae): total evidence and phylogenetic species concepts. Syst. Ent. 32: 558-567.
62. **Garrevoet, T., Garrevoet, W. & H.Özbek**, 2005, A contribution to the knowledge of the Sesiiidae of Turkey (Lepidoptera). Turk J. Zool. 29: 27-38.
63. **Geyer, C. [in] Hübner, J.**, [1819]-[1832], Sammlung exotischer Schmetterlinge 2: [5] pp., [225] Pls. Augsburg.
64. **Geyer, C. [in] Hübner, J.**, 1832, Beiträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 4: 1-48, figs. 601-800. Augsburg.
65. **Gielis, C.**, 1996, Pterophoridae, [in] Huemer, P., Karsholt, O. & L.Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup.
66. **Görgner, E.**, 1984, Beitrag zur Biologie von *Eupatúra mirza* Ebert, 1971 (Lep., Nymphalidae). Nachr. ent. Ver. Apollo (N.F.) 5(1): 7-17, figs. [Corrigendum: ibid., 5 (2/3): 42].
67. **Gross, F.J.**, 1977, Über *Hyponephele narica* und *H. naricina* und deren Verbreitung in der Türkei (Lep., Satyridae). Atalanta 8 (2): 123-125.
68. **Gross, F.J.**, 1978, Beitrag zur Systematik von Pseudochazara-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs.
69. **Gyulai, P., Hreblay, M. & L.Ronkay**, 1992, New taxa and synonyms in the *Oncocnemis exacta* Christoph, 1887 Group (Lepidoptera, Noctuidae). Acta zool. Hung. 38: 33-46, figs.
70. **Hacker, H. & A.Moberg**, 1988, Zwei neue *Dasyptolia* Guenée, 1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cuculliinae). Mitt. münch. ent. Ges. 78: 179-185, figs.
71. **Hacker, H. & L.Ronkay**, 1988, *Cucullia behouneki* sp.nov., *Cucullia armena* Ronkay & Ronkay, 1986 und *Cucullia prenanthis* Boisduval, 1840, in der Türkei (Lepidoptera, Cuculliinae). Nota lepid. 11 (1): 39-44, figs.
72. **Hacker, H. & P.Kuhna**, 1986, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). Nota lepid. 9 (3/4): 179-188, Taf. 1, 3 Abb.
73. **Hacker, H. & R.Pinker**, 1987, *Cucullia mixta* ronkayi n.ssp. aus der Osttürkei (Lep., Noctuidae). Z. ArbGem. öst. Ent. 38 (3/4): 107-109, 1 Abb.
74. **Hacker, H.**, [1987], Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). Atalanta 17 (1/4) (1986): 27-83, 13 Taf.
75. **Hacker, H.**, 1985, Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). Neue Ent. Nachr. 15: 1-65, Taf.
76. **Hacker, H.**, 1986, 2. Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Freina aus den Jahren 1976-1983 (Lepidoptera). Spixiana 9 (1): 25-81, figs.
77. **Hacker, H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbiopoliana 2: 1-590, Taf.
78. **Hacker, H.**, 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf.
79. **Hacker, H.**, 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb.
80. **Hacker, H.**, 1998, Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
81. **Hacker, H.**, 2004, Revision of the genus *Caradrina* Ochsenheimer, 1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
82. **Häuser, C.L. & W.Eckweiler**, 1997, A catalogue of the species-group taxa in *Agrodiaetus* Hübner, 1822, a subgenus of *Polyommatus* Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-

- group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112.
83. **Hellmich, W.**, 1969, Bemerkungen zur Tiergeographie und Ökologie des Vansee-Beckens in Ostanatolien. Veröff. Zool. Staatssamml. München 13: 143-154.
84. **Herrich-Schäffer, G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
85. **Hesselbarth, G., Oorschot, H.v. & S.Wagener**, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd.3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S.Wagener, Bocholt.
86. **Heyne, A.**, 1897, Polyommatus virgaureae L. nov. var. aureomicans Heyne. Societas ent. 12: 9.
87. **Higgins, L.G.**, 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps.
88. **Higgins, L.G.**, 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). Trans. R. ent. Soc. Lond. 101 (2): 435-489, 7 maps, 44 figs.
89. **Higgins, L.G.**, 1966, Check-List of Turkish Butterflies. Entomologist 99: 209-222, 1 map.
90. **Higgins, L.G.**, 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London.
91. **Higgins, L.G.**, 1978, A Revision of the genus Euphydryas Scudder (Lep., Nymphalidae). Entomologist's Gaz. 29: 109-115, 19 figs.
92. **Hofmann, A.**, 2005, Neue Zygaena-Taxa aus Südosteuropa, Vorder- und Zentralasien (Lepidoptera, Zygaenidae). Bonn. zool. Beitr. 53 (1/2) (2004): 81-97, 63 figs.
93. **Holik, O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158.
94. **Holik, O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239.
95. **Holik, O. & L. Sheljuzhko**, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185.
96. **Hreblay, M.**, 1992, Neue Taxa und Synonyme der Gattung Conistra Hübner, [1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs.
97. **Hreblay, M.**, 1992, Revision der Gattung Valerietta Draudt, 1938. Esperiana 3: 235-241, 14 Abb.
98. **Hübner, J.**, 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg.
99. **Hübner, J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg.
100. **Hübner, J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg.
101. **Hübner, J.**, 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg.
102. **Hübner, J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg.
103. **Hübner, J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
104. **Hübner, J.**, 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
105. **Hübner, J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
106. **Hübner, J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg.
107. **Hübner, J.**, 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
108. **Hübner, J.**, 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
109. **Hübner, J.**, 1822, Systematisch - alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburgscher Gattungen. 81 pp. Augsburg.
110. **Igarashi, S.**, 1971, Protapatura iwasei; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs.
111. **Jong, R.de**, 1978, Monograph of the genus Spialia Swinhoe (Lepidoptera, Hesperidae). Tijdschr. Ent. 121: 23-146.
112. **Jong, R.de**, 1984, Notes on the genus Thymelicus Hübner (Lepidoptera, Hesperidae). Nota lepid. 7 (2): 148-163, 31 figs.
113. **Jordan, K.**, 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
114. **Kallies, A. & K.Spatenka**, 2003, The Clearwing Moths of Iran (Lepidoptera, Sesiidae). Linneana Belg. 19 (2): 81-94; 19 (3): 119-126, 22 figs.
115. **Kallies, A.**, 2001, Revision of the Brachodes pumila (Ochsenheimer, 1808) species-group (Sesiioidea, Brachodidae). Nota lepid. 24 (1/2): 7-19, figs.
116. **Kandul, N.P., et al.**, 2004, Phylogeny of Agrodiaetus Hübner, 1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1-alfa: Karyotype diversification and species radiation. Syst. Biol. 53 (2): 278-298.
117. **Karisch, T.**, 2003, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VII. Die Cochylini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Nachtrag) mit Beschreibung von zwei neuen Arten. Naturw. Beitr. Mus. Dessau 15: 121-129, Taf.8.
118. **Karsholt, O. & J.Razowski (eds)**, 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stentrup.
119. **Kayci, L.**, Van Gölü havzası bazı Quadrifinae grubu Noctuidae türlerinin fauna ve ekolojisi üzerine araştırmalar (Noctuidae, Lepidoptera), 222s., doktora tezi (2009) (yayınlanmadı).
120. **Kayci, L. & M.Fidan**, 2010, Chazaria incarnata (Freyer, 1838) türünün biyolojisi ve yayılış hakkında notlar (Lepidoptera, Noctuidae). Cesa News 59: 55-59, 6 şekil.

121. **Kayci, L.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea in Ereğ Mountain (Van). Cent. ent. Stud., Priamus (suppl.) 6: 1-47.
122. **Kemal, M. & A.Ö. Koçak**, 2005, Annotated Checklist of the Lepidoptera of Çatak Valley (Van Province, Turkey), Part I. Cent. ent. Stud., Priamus 11 (3): 29-58.
123. **Kemal, M. & A.Ö. Koçak**, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, 2 figs.
124. **Kemal, M. & A.Ö. Koçak**, 2006, Nemophora eretna n.sp. from Turkey (Adelidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 100: 1-4, 3 figs.
125. **Kemal, M. & A.Ö. Koçak**, 2007, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view
126. **Kemal, M. & A.Ö. Koçak**, 2008, Further record of pre-imaginal stages of Esperarge (s.str.) clymene ssp. valentinae (Miller) from Van Province (East Turkey). Cesa News 19: 1-5, 5 figs. 1 map.
127. **Kemal, M. & A.Ö. Koçak**, 2010, Illustrated list of the Zygaena Fabr. species in Turkey based upon the Info-system of the Cesa (Lepidoptera, Zygaenidae, Zygaeninae). Cesa News 54: 1-35, 53 figs.
128. **Kemal, M. & A.Ö. Koçak**, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
129. **Kemal, M. & A.Ö. Koçak**, 2010, Winter trips to South Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs.
130. **Kemal, M. & O. Karabacak**, 2008, Ephelis cruentalis'in Biyolojisi Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 139-140: 6-10, 9 şekil.
131. **Kemal, M. & Özkol, H. & L. Kayci**, 2008, Xylena Ochsenheimer in East Turkey with new provincial records and larval food-plants (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 139-140: 10-14, 12 figs.
132. **Kemal, M.**, 2006, Bilimsel gezilerimden anılar I-Norduz Yaylası. Cent. ent. Stud., Priamus Suppl.4: 1-25, 52 figs.
133. **Kemal, M.**, 2008, A hunting Camel Spider at Çatak, Van Province, East Turkey (Galeodidae, Solifugae). Icon. Arachn. (A), <http://www.archive.org/details/IconographiaArachnidorumSeriesABByTheCesa>
134. **Kemal, M.**, 2008, Pieris ergane [in] Butterflies at Artos Mountain, Van Province, East Turkey. Icon. Insect. (A), <http://www.archive.org/details/PierisErganeInButterfliesAtArtosMountVanProvinceEastTurkey>
135. **Kemal, M.**, 2008, Van Gölü havzasında kelebek çeşitliliği (Diversity of the butterflies in Van Lake Basin East Turkey). Cesa News 9: 1-6, 5 figs.
136. **Kemal, M.**, 2009, Biodiversity in Ereğ Mountain and its rarest butterfly Callophrys mystaphia (Lepidoptera, Lycaenidae). <http://www.archive.org/details/BiodiversityInErekMountainAndItsRarestButterflyCallophrysMystaphia>
137. **Kemal, M., Özkol, H. & L. Kayci**, 2008, Diurnal Lepidoptera of Sarmaç village Ereğ Mountain (Van Province, East Turkey). Cesa News 19: 5-17, 20 figs.
138. **Kitching, I. J. & J. E. Rawlins**, 1999, The Noctuoidea, [in] N. P. Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M. Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
139. **Koçak, A.Ö. & M. Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhoplocera) volume 2" edited by Tusov, V. K. et al., Sofia - Moscow, 2000. Cent. ent. Stud., Misc. Pap. 75: 1-3.
140. **Koçak, A.Ö. & M. Kemal**, 2001, Türkiye keleklerinin anadillerdeki isimlerinin listesi. Cent. ent. Stud., Misc. Pap. 72/73: 1-15.
141. **Koçak, A.Ö. & M. Kemal**, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte Hyponephele Muschamp cinsinin kataloğu (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 80/81: 1-15, 1 Tab.
142. **Koçak, A.Ö. & M. Kemal**, 2002, Euapatura mirza'nın besin bitkisi hakkında (Lepidoptera, Argynnidae). Cent. ent. Stud., Misc. Pap. 86: 5-7, figs.
143. **Koçak, A.Ö. & M. Kemal**, 2002, Faunistik taksonomik ve zoocoğrafik notlarla Çatak kelekleri (Papilionoidea, Hesperioidea, Lepidoptera). Cent. ent. Stud., Misc. Pap. 82/85: 1-32, figs.
144. **Koçak, A.Ö. & M. Kemal**, 2002, Türkiye'de bir Karakuşaklı Güzel Colobochyla platyzona (Lederer, 1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs.
145. **Koçak, A.Ö. & M. Kemal**, 2002, Van'da üç nadir Sinirkanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). Cent. ent. Stud., Misc. Pap. 87: 5-8, 6 figs.
146. **Koçak, A.Ö. & M. Kemal**, 2006, Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 1: 1-196.
147. **Koçak, A.Ö. & M. Kemal**, 2007, Preliminary checklist of Loxostege Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8.
148. **Koçak, A.Ö. & M. Kemal**, 2007, Revised and annotated checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables.
149. **Koçak, A.Ö. & M. Kemal**, 2008, Announcement with illustrations: "Studies on the Lepidoptera Fauna of Artos Mountain (Van Province, East Turkey)". Cesa News 27: 1-10, 18 figs.
150. **Koçak, A.Ö. & M. Kemal**, 2008, Checklist of the diurnal Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 15: 1-41.
151. **Koçak, A.Ö. & M. Kemal**, 2008, On the late summer butterflies of Artos Mountain (Van Province, East Turkey). Cesa News 29: 1-11, 17 figs.
152. **Koçak, A.Ö. & S. Seven**, 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141.

153. **Koçak,A.Ö. & S.Seven,** 1994, Türkiye Lepidoptera faunasına katkılar-II. Cent. ent. Stud., Misc. Pap. 21: 1-8.
154. **Koçak,A.Ö. & S.Seven,** 1994, Türkiye Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 20: 1-8.
155. **Koçak,A.Ö. & S.Seven,** 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8.
156. **Koçak,A.Ö.,** 1975, New Lepidoptera from Turkey-I. Atalanta 6 (1): 24-30, figs.
157. **Koçak,A.Ö.,** 1976, A new subspecies of *Melanargia larissa* from Turkey (Lepidoptera, Satyridae). Atalanta 7 (1): 40-41, 2 figs.
158. **Koçak,A.Ö.,** 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs.
159. **Koçak,A.Ö.,** 1980, Studies on the family Lycaenidae III. A review of the subspecies of *Agrodiaetus* (Sublysandria) *myrrhus* (H.-S.,1852). Atalanta 11 (4): 262-272, 14 figs.
160. **Koçak,A.Ö.,** 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96.
161. **Koçak,A.Ö.,** 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.
162. **Koçak,A.Ö.,** 1982, Notes on *Archon apollinus* (Herbst,1798) (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 2 (1): 44-63, figs., map.
163. **Koçak,A.Ö.,** 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller,1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
164. **Koçak,A.Ö.,** 1983, On the nomenclature of the genus *Hipparchia* Fabricius,1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169.
165. **Koçak,A.Ö.,** 1983, On the nomenclature of *Thersamon thersamon* (Esper,1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). Cent. ent. Stud., Priamus 3 (1): 3-5.
166. **Koçak,A.Ö.,** 1987, *Sultania lophotalis* (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs.
167. **Koçak,A.Ö.,** 1992, Lycaenidae familyasında yeni bir altcins *Alciphronia*'nın tanımı ve Türkiye'deki taksonlarına ait bazı taksonomik notlar (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 16: 1-5.
168. **Koçak,A.Ö.,** 2000, Revisional notes on the taxonomy of 'eurytilos Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus *Latreille* (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10.
169. **Koçak,A.Ö.,** 2008, Description of *Choreutis muhabbet* sp.n. (Choreutidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 6-7.
170. **Koçak,A.Ö.,** 2008, Illustration of *Choreutis muhabbet* Koçak,2008 described in Miscellaneous Papers Nr. 142 pages 6-7 of the Cesa. Cesa News 30: 17, fig.1.
171. **Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu,** 1997, *Eucharia festiva* ssp. *nivea* (Bang-Haas,1927)'nin taksonomisi ve dağılışı Hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 5-8, 2 harita.
172. **Korb,M.,** 1900, *Epicimelia theresiae* nov. spec. Dt. ent. Z., Iris 12: 300-302, Taf.7.
173. **Kostrowicki,A.S.,** 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). Acta zool. cracov. 6: 367-472, pls.
174. **Kostrowicki,A.S.,** 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschau.
175. **Kozhantschikov,I.V.,** 1928, Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung *Triphaena* Hb. Encycl. ent. (B3) 3: 67-87, 7 figs.
176. **Lattin,G.de,** 1950, Türkische Lepidopteren - I. Ist. Univ. Fen Fak. Mec. (Ser B) 15 (4): 301-328, Taf. I,II.
177. **Lattin,G.de,** 1951, Türkische Lepidopteren - II. Ist. Univ. Fen Fak. Mec. (Ser B) 16 (1): 45-73, Taf.III.
178. **Leach,W.E.,** [1815], Entomology [In] Brewster,D., Edinburgh Encyclopaedia 9.vol., pt.1. 57-172 pp., Edinburgh.
179. **Leach,W.E.,** 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.
180. **Lederer,J.,** 1855, Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.- bot. Ver. Wien 5: 177-254, 5 Taf.
181. **Lederer,J.,** 1858, Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2 (5): 135-152, 3 Taf.
182. **Lederer,J.,** 1861, Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf.
183. **Lederer,J.,** 1863, Beitrag zur Kenntnis der Pyraliden. Wien. ent. Monatschr. 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.
184. **Lederer,J.,** 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf.
185. **Lefebvre,M.A.,** 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl.5.
186. **Leraut,P.J.A.,** 1997, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.
187. **Lesse,H.de,** 1959, Caractères externes et formule chromosomique d'*Agrodiaetus baytopi* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1959: 44-48, 6 figs.
188. **Lesse,H.de,** 1959, Note sur deux especes d'*Agrodiaetus* (Lep., Lycaenidae) récemment séparées d'après leurs formules chromosomiques. Bull. Soc. ent. Mulhouse 1959 (1/2): 5-10, 9 figs.
189. **Lesse,H.de,** 1961, Les nombres de chromosomes chez *Agrodiaetus dolus* Hübner et les especes voisines (Lycaenidae). Alexanor 2 (2): 57-63; 2 (3): 72; Tab. 3, figs.1-6.
190. **Lesse,H.de,** 1963, Variation chromosomique chez *Agrodiaetus carmon* H.S. et *A. cyanea* Stgr. (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 177-181, 2 figs. 2 tab.
191. **Lesse,H.de,** 1963, Variation chromosomique chez les *Agrodiaetus* (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 182-189, 4 figs.
192. **Lienig,F. & P.C.Zeller,** 1846, Anmerkungen, [in] Lienig,F., Lepidopterologische

- Fauna von Livland und Kurland. Isis 1846 (3): 175-302.
193. **Linnaeus, C.**, 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae.
194. **Linnaeus, C.**, 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae.
195. **Linnaeus, C.**, 1767, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.
196. **Lukhtanov, V.A. & A.V.Dantchenko**, 2003, Two new chromosome races of *Agrodiaetus altivagans-wagneri* complex (Lepidoptera, Lycaenidae) Atalanta 34 (3/4): 421-428, pl. xxviii.
197. **Lukhtanov, V.A., Kandul, N.P., Prins, W.O.de & D.v.d.Poorten**, 1998, Karyology of species of *Polyommatus* (*Agrodiaetus*) from Turkey: new data and their taxonomic consequences (Lepidoptera, Lycaenidae). Holarct. Lepid. 5 (1): 1-8, 15 figs.
198. **Marion, H.**, 1957, Classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 75-87.
199. **Marion, H.**, 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 129-130.
200. **Meigen, J.W.**, 1829-1832, Systematische Bearbeitung der europäischen Schmetterlinge.
201. **Müller, G.C., Kravchenko, V.D., Witt, T.J., Junnila, A., Mooser, J., Saldaitis, A., Reshöft, K., Ivinskis, P., Zahir, R. & W.Speidel**, 2008, New underwing taxa of the section of *Catocala lesbia* Christoph, 1887 (Lepidoptera, Noctuidae). Acta zool. Lituanica 18 (1): 30-49, figs.
202. **Naumann, C.M. & S.Naumann**, 1985, Zur morphologischen Differenzierung asiatischer Populationen des *Zygaena purpuralis* -Komplexes (Lepidoptera, Zygaenidae). Entomofauna 6 (20): 265-358, 286 figs.
203. **Naumann, C.M., Tarmann, G.M. & W.G.Tremewan**, 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books.
204. **Oberthür, C.**, 1869, *Thais deyrollei*. Petites Nouv. Ent. 1869: 7.
205. **Oberthür, C.**, 1872, Catalogue raisonné des Lépidoptères rapportés par M. Théophile Deyrolle de son exploration scientifique en Asie Mineure. Revue Mag. zool. 23: 480-488.
206. **Oorschot, H.v., Brink, H.v.d. & B.v.Oorschot**, 1987, *Rhopalocera* of Turkey. 3. Geographical variation of *Pseudochazara anthelea* (Hübner) and description of *P.anthelea selcuki* n.ssp. (Lepidoptera, Satyridae). Ent. Ber., Amst. 47 (6): 91-95, figs.
207. **Özkol, H. & A.Sefali**, 2009, New data on the biology of *Pieris* (*Artogeia*) *persis* Verity (Pieridae, Lepidoptera). Cesa News 42: 38-44, 7 figs.
208. **Özkol, H. & Kayci, L. & S.M.Pinar**, 2009, Notes on the biology of *Zygaena* (*Mesembrynus*) *tamara placida* A.Bang-Haas (Lepidoptera, Zygaenidae). Cesa News 41: 47-50, 5 figs.
209. **Özkol, H. & L.Kayci**, 2009, Some diurnal Lepidoptera species attracted to the light trap in East Anatolia (Papilionoidea, Zygaenoidea). Cesa News 40: 1-4, 6 figs.
210. **Özkol, H.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea of Gevaş district (Van). Cent. ent. Stud., Priamus (suppl.) 5: 1-55.
211. **Özkol, H.**, 2009, Van Gölü Havzası Noctuinae, Hadeninae, Cuculliinae, Acronictinae, Bryophilinae ve Heliothininae faunası ve ekolojisi üzerine araştırmalar (Noctuidae, Lepidoptera). 417s., şekil, harita. Yükseköğretim Kurulu Ulusal Tez Merkezi, 179409[1]pdf <http://tez2.yok.gov.tr/> [accessed 15.9.2009].
212. **Pages, J.**, 1994, Description d'un *Lycène* nouveau de Turquie: *Agrodiaetus charmeuxi* sp.n. (Lepidoptera, Lycaenidae). Alexanor 18(4): 194-196, 8 figs.
213. **Poda, N.**, 1761, Insecta Musei Graecensis. 139 pp., 2 pls. Graz.
214. **Rakosy, L.**, 1997, Die Noctuiden Rumäniens (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf.
215. **Rebel, H.**, 1901, Über eine neue von Herrn Max Korb in Westasien gesammelte Lepidopterenformen. Annln naturh. Mus. Wien 16: 165-169.
216. **Reh, L.**, 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
217. **Robinson, G.S. & E.S.Nielsen**, 1983, The Microlepidoptera described by Linnaeus and Clerck. Syst. Ent. 8: 191-242.
218. **Romanoff, N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls.
219. **Röber, J.**, 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
220. **Sattler, K.**, 1967, Ethmiidae, [in] Amsel, H.G., Gregor, F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
221. **Scholz, A.**, 1997, Zwei neue, paläarktische Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 20(1): 51-58, 13 figs.
222. **Schurian, K.G. & C.Häuser**, 1981, Zoogeographie uns subspezifische Gliederung der zentral- und ostanatolischen, sowie der iranischen Meleageria-Formen (Lepidoptera, Lycaenidae). Atalanta 12 (2): 101-111, 4 Abb.
223. **Schurian, K.G.**, 1989, Revision der *Lysandra*-Gruppe des Genus *Polyommatus* Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf.
224. **Schurian, K.G.**, 1996, A contribution to the biology of *Brenthis mofidii* (Wyatt, 1968). Linneana Belgica 15(8): 311-314, 8 figs.
225. **Schurian, K.G., Oorschot, H.v. & H.v.d. Brink**, 1992, *Polyommatus* (*Agrodiaetus*) *poseidon* (H.-S.) und *Polyommatus* (*Agrodiaetus*) *theresia* sp. nov. aus der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 12 (4): 217-232, Pl.1, Abb.9-10.

226. **Scopoli, J.A.**, 1763, *Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.*
227. **Seitz, A.**, 1909, Familie: Syntomidae, [in] Seitz, A., *Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart.*
228. **Seitz, A.**, 1910, Familie: Arctiidae, [in] Seitz, A., *Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart.*
229. **Seven, S.**, 1997, *Papilio machaon* Linnaeus, 1758 türkiye ilgili bazı nomenklatur sorunları hakkında (Lepidoptera, Papilionidae). *Cent. ent. Stud., Misc. Pap. 37: 1-3.*
230. **Sheljuzhko, L.**, 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr. A. Seitz. *Papilionidae und Pieridae. Int. ent. Z. 25: 69-74.*
231. **Skala, P.**, 2003, A new species of the genus *Satyrus* Latreille, 1810 from Iran (Lepidoptera, Nymphalidae). *Linneana Belg. 19 (1): 35-40, figs.*
232. **Skala, P.**, 2003, New taxa of the genus *Hyponephele* Muschamp, 1915 from Iran and Turkey (Lepidoptera, Nymphalidae). *Linneana Belg. 19 (1): 41-50, figs.*
233. **Staudinger, O.**, 1860, *Pieris krueperi*. Ein neuer europäischer Tagfalter. *Wien. ent. Monatschr. 4: 19-20.*
234. **Staudinger, O.**, 1878-1881, Lepidopteren-Fauna Kleinasien's. *Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135.*
235. **Staudinger, O.**, 1900, Neue Lepidopteren des palaearctischen Faunengebiets. *Dt. ent. Z., Iris 12: 352-403.*
236. **Stradomsky, B.V.**, 2006, *Polyommatus shchurovi* sp.n. (Lepidoptera, Lycaenidae) from the altitude areas of Western Caucasus. *Caucasian Ent. Bull. 2 (2): 215-216, figs.*
237. **Strand, E.**, 1910, Familie: Lymantriidae, [in] Seitz, A., *Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart.*
238. **Strand, E.**, 1911, Familie: Thaumetopoeidae, [in] Seitz, A., *Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart.*
239. **Swainson, W.**, 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. *Phil. Mag. (n.s.) 1(1): 180-188.*
240. **Tarmann, G.**, 1977, Neue Funde von *Procris* (Lucasiterna) *horni* Alberti, 1937 (Lepidoptera, Zygaenidae). *Mitt. münch. ent. Ges. 67: 91-94, 5 Abb.*
241. **Ten Hagen, W. & K.G. Schurian**, 2009, *Polyommatus* (*Aricia*) *crassipunctus* *varicolor* ssp.n., eine neue Unterart aus Iran (Lepidoptera, Lycaenidae). *Nchr. ent. Ver. Apollo (N.F.) 30 (1/2): 9-17, figs.*
242. **Ten Hagen, W. & W. Eckweiler**, 2000, Zur Taxonomie von *Lycaena* (*Thersamonina*) *lampon* (Lederer, 1870) und *L. (T.) lamponides* (Staudinger, 1901) stat. nov. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.) 21 (2): 49-54, 19 Abb.*
243. **Ten Hagen, W.**, 2008, Taxonomie von *Cupido* *staudingeri* (Christoph, 1873) in Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.) 28 (3/4): 165-171, figs.*
244. **Thomas, W.**, 1988, *Callimorpha splendidior* Tams eine eigene Art (Lepidoptera, Arctiidae). *Nachr. ent. Ver. Apollo (N.F.) 9(3): 177-186, 4 Abb.*
245. **Tokar, Z. & L. Gozmany**, 2004, Review of the palaearctic species of *Dirhinosis* Rebel, 1905 (Lepidoptera, Gelechiidae). *Acta zool. hung. 50 (1): 63-74, figs.*
246. **Tremewan, W.G.**, 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus *Zygaena* Fabricius, (Lepidoptera: Zygaenidae). *Bull. Brit. Mus. (Nat. Hist.) Ent. 10 (7): 239-314, Pls. 50-64.*
247. **Varga, Z. & L. Ronkay**, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. *Acta zool. hung. 37(3/4): 263-312, 113 figs. Pls. 1-3.*
248. **Varga, Z. & L. Ronkay**, 2007, On the taxonomy of the genus *Diarsia* Hübner, [1821] 1816 (Lepidoptera, Noctuidae): The Holarctic species group of the genus. *Acta zool. hung. 53 (Suppl.1): 141-209, figs.*
249. **Varga, Z.**, 1975, Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). *Ent. Z., Frankf. a. M. 85: 172-174.*
250. **Varga, Z.**, 1989, Zweiter Beitrag zur Kenntnis der Gattung *Xenophysa* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung fünf neuer Arten. *Z. ArbGem. öst. Ent. 41 (1/2): 1-18, figs.*
251. **Varga, Z.**, 1996, New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. *Acta zool. hung. 42 (3): 195-230, figs.*
252. **Wagner, S. & F.J. Gross**, 1976, Eine neue Unterart von *Melitaea arduinna* aus Ostanatolien (Lep., Nymphalidae). *Ent. Z., Frankf. a. M. 86 (20): 229-232, 1 Abb.*
253. **Wagner, S.**, 1975, 4. Beitrag. Die vorderasiatischen Formen der *Melanargia russiae* (Esper, 1784), [in] Ebert, G. et al., *Beiträge zur Kenntnis der Rhopaloceren Irans. J. ent. Soc. Iran, Suppl. 1: 47-62, figs.*
254. **Warren, B.C.S.**, 1926, Monograph of the tribe Hesperii (European species) with revised classification of the subfamily Hesperinae (Palaearctic species) based on the genital armatures of the males. *Trans. ent. Soc. Lond. 74: 1-170, Pls.*
255. **Warren, B.C.S.**, 1944, Review of the classification of the Argynnidi: with a systematic revision of the genus *Boloria*. *Trans. R. ent. Soc. Lond. 94: 1-101, Pls.*
256. **Warren, W.**, 1909-1913, *Familia Noctuidae*, [in] Seitz, A., *Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart.*
257. **Weidenhoffer, Z. & J. Klir**, 2000, A new species of *Plebejus* Kluk, 1780 from Iran (Lepidoptera, Lycaenidae). *Linneana Belg. 17 (7): 289-292, figs.*
258. **Weiss, D. & P. Skala**, 2000, A new subspecies of *Hyponephele* Muschamp, 1915 from western Turkey (Lepidoptera, Satyridae). *Atalanta 31 (1/2): 129-133, pls. viii-ix.*
259. **Wiemers, M.**, 2003, Chromosome differentiation and the radiation of the butterfly subgenus *Agrodiaetus* (Lepidoptera, Lycaenidae, *Polyommatus*) - a molecular phylogenetic approach. *Dissertation. Bonn.*

- 260. Wyatt, C.W.**, 1968, Eine neue Rasse von *Brenthis hecate* W.V. aus Iran. Z. wien. ent. Ges. 53: 29-30, 4 figs.
- 261. Yen, S.-H. & J. Minet**, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs.
- 262. Zeller, P.C.**, 1841, Vorläufer einer vollständigen Naturgeschichte der Pterophoriden. Isis 1841: 755-795, 827-893.
- 263. Zeller, P.C.**, 1844, Monographie des Genus *Hyponomeuta*. Isis 1844 (3): 198-238, 2 Pls.
- 264. Zeller, P.C.**, 1851, Drei Schabengattungen: *Incurvaria*, *Micropteryx* und *Nemophora*. Linn. Ent. 5: 301-362.
- 265. Zeller, P.C.**, 1854, Die *Depressarien* und einige ihnen nahe stehenden Gattungen. Linn. Ent. 9: 189-403, Tab.2.

Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, online publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches (except nomenclatural studies). The publication languages are Turkish, English, German and Uighurian.

Centre for Entomological Studies Ankara



(A scientific Consortium)
(co-operation of research workers for pure-scientific, not commercial purpose)

Web Pages of the Cesa: <http://www.cesa-tr.org/> <http://biocol.org/urn:lsid:biocol.org:col:35261>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)¹⁰, Miscellaneous Papers (ISSN 1015-8235)¹¹, Memoirs (ISSN-8227)¹², DVD Films¹³, Iconographia Insectorum¹⁴, Cesa Publications on African Lepidoptera (series)¹⁵, Cesa News [online]¹⁶, Cesa Books¹⁷

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey)
- Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

 Cesa © 1966-2011

¹⁰ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

¹¹ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

¹² <http://www.cesa-tr.org/Memoirs.htm> -

¹³ <http://www.cesa-tr.org/CDF.htm>

¹⁴ <http://www.cesa-tr.org/Icon.htm>

¹⁵ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

¹⁶ <http://www.cesa-tr.org/Cesanews.htm>

¹⁷ <http://www.cesa-tr.org/Cesabooks.htm>